

Robert Stone

Harriot Bruhl 1794

Digitized by the Internet Archive
in 2015

https://archive.org/details/fasciculusplanta1737blac

John Blackstone.

FASCICULUS PLANTARUM CIRCA *HAREFIELD* Sponte Naſcentium.

CUM

APPENDICE,

AD

LOCI

Hiſtoriam ſpectante.

——— *Et rei herbariæ, quâ nulla utilior videtur eſſe doctrina, quæ ſcilicet & alimenta ſanis corporibus, & ægris medicinam, ac pleriſque artibus auxilia præſtat, animumque mirâ voluptate perfundit.*

Michel. Dedicat. ad Nov. Plantar. Genera.

LONDINI:

Typis HENRICI WOODFALL, Junioris.

M.DCC.XXXVII.

ARNOLD ARBORETUM HARVARD UNIVERSITY

May 1912
26476

Fx
42
B56f

Clariſſimo Doctiſſimoque Viro

D^no HANSIO SLOANE, Baronetto.

ARCHIATRO

ET

Regiæ Societatis PRÆSIDI.

BOTANICES

Nec non totius Hiſtoriæ Naturalis PRINCIPI.

Hunc FASCICULUM humillimo, gratiſſimoque animo, dat, dicat, dedicatque.

J. BLACKSTONE.

PRÆFATIO.

PLANTÆ hujus Inſulæ indigenæ a tot ſuperioris ſæculi eximiis Botanicis obſervatæ fuerunt, ut aliquid nunc temporis Reipublicæ Botanicæ offerre, prorſùs inutile videatur. Quoniam autem regiones diverſæ plantas ſibi proprias proferunt, hunc Tractatum in lucem emiſi ad ſtirpes quaſdam peculiares illuſtrandas, quarum permaxima pars circa Harefield *collecta eſt, additis aliis quæ vel amicorum munere, vel itinere ad locos memoratos ſuſcepto, occurrebant.*

Studii Botanici utilitas omnibus, (Medicinæ Cultoribus præſertim) manifeſta eſt, & non dubito quin ſcientia hæc utiliſſima brevi ſpatio ad ſummum gradum evehatur.

Quod ad Methodum attinet, alphabeticè plantas diſpoſui; Tyrones enim quos ſtudium

dium Botanicum delectat, faciliùs per hanc methodum diſcere poſſunt, quam ſi Plantæ Synopticè digeſtæ fuiſſent.

Magni ſanè erit momenti ſi Juvenes plantas ſibi proximè natas obſervare vellent, tunc enim ſpes eſſet ut Hiſtoria Plantarum Generalis hujus Inſulæ reddatur abſoluta, cujus utilitas benè cognita eſt.

Hoc Specimen, ut Philo-Botanicis placeat, precor, nil enim niſi ſtudii utilitas ad hoc ſuſcipiendum me induxit, errata itaque leviora ignoſcere dignetur Lector.

EXPLICATIO

Nominum Abbreviatorium.

C*B. Pin.* Caſpari Bauhini Pinax Prodr. Ejuſdem. *Baſil* 1671. 4to.

Chabr. Dominici Chabræi Stirpium Icones & Sciagraphia. *Genevæ* 1678. Fol.

Cat. Giſſens. Johannis Jacobi Dillenii Catalogus Plantarum circa Giſſam naſcentium. *Giſſæ* 1719. 8vo.

Ger. Em. Gerardi Hiſtoria Plantarum a Thoma Johnſon Emaculata & Aucta. *Lond.* 1636. Fol.

H. Oxon. Hiſtoria Plantarum Oxonienſis. *Oxonii* 1680. Fol.

J. R. H. Joſephi Pitton Tournefortii Inſtitutiones Rei Herbariæ. *Pariſiis* 1700. 4to.

Lobel. Adverſ. Matthiæ Lobelii Obſervationes & Adverſaria. *Londini* 1605. Fol.

Merr.

Merr. Pin. Chriſtophori Merret Pinax Rerum Naturalium Britannicarum. *Lond.* 1667. 8vo.

Park. Joannis Parkinſoni Theatrum Botanicum. *Lond.* 1640. Fol.

Petiv. H. B. Jacobi Petiver Herbarium Britannicum. *Lond.* Fol.

Plukenet. Phyt. Leonardi Plukenetii Phytographia. *Lond.* 1691. Fol.

Raii Cat. Angl. Joannis Raii Catalogus Plantarum Angliæ, *&c. Lond.* 1677. 8vo. Item Hiſtor. *Ibid.* 1686. Fol.

Raii Meth. Em. Joannis Raii Methodus Plantarum Emendata & Aucta. *Amſtelæd.* 1703. 8vo.

Raii Syn. Joannis Raii Synopſis Methodica Stirpium Britannicarum. *Lond.* 1696 & 1724. 8vo.

Scheuchzer. Agroſt. Joannis Jacobi Scheuchzeri Agroſtographia. *Tiguri.* 1719. 4to.

A.

Artemisia absinthium.

ABSINTHIUM VULGARE LATIFOLIUM SIVE PONTICUM. *Ger. Em.* 1096. Ponticum, ſeu Romanum Officinarum ſeu Dioſcoridis. *C. B. Pin.* 138. *Common broad-leav'd Wormwood.* In locis incultis frequens, *as about* Moor-Hall *plentifully, and elſewhere.* Junio floret.

Acer campestris.

ACER MINUS. *Ger. Em.* 1484. Campeſtre & minus. *C. B. Pin.* 431. *The Common Maple.* In ſepibus paſſim. Aprili floret.

Rumex acetosa.

ACETOSA PRATENSIS. *C. B. Pin.* 114. Oxalis ſive Acetoſa. *Ger. Em.* 396. 319 *Common Sorrel.* In pratis & paſcuis copioſè. Maio floret.

ACETOSA

ARNOLD ARBORETUM HARVARD UNIVERSITY

Rumex acetosella.

ACETOSA ARVENSIS LANCEOLATA. *C. B. Pin.* 114. Oxalis tenuifolia. *Ger. Em.* 397. *Sheeps Sorrel.* In ſiccioribus & ad vias paſſim. Per totam ferè æſtatem floret.

Acorus calamus.

ACORUS VERUS, OFFICINIS FALSÒ CALAMUS. *Ger. Em.* 62. Verus, ſive Calamus Aromaticus Officinarum. *C. B. Pin.* 34. *True Acorus, or Sweet-ſmelling Flag. In the Ponds near* Harefield Church *plentifully.* Maio Julum profert.

Asplenium Ruta muraria.

ADIANTHUM ALBUM SIVE SALVIA VITÆ. *Ger. Em.* 1144. Ruta Muraria. *C. B. Pin.* 356. *White Maidenhair, Wall Rue, or Tent-wort. On* Pinner-Church *near* Harrow on the Hill *abundantly.*

Polytrichum commune.

ADIANTHUM AUREUM MAJUS. *Ger. Em.* 1559. Polytrichum aureum majus. *C. B. Pin.* 356. *Great Goldilocks. Common in boggy Places.*

Asplenium adiantum nigrum.

ADIANTHUM NIGRUM VULGARE. *Park.* 1049. Foliis longioribus pulverulentis pediculo nigro. *C. B. Pin.* 355. Onopteris mas. *Ger. Em.* 1137. *Common Black Maidenhair.* In opacis & ad arbo-

rum

rum radices. *In the Lane going from* Harefield *to* Rickmanſworth *abundantly.*

Ilex aquifolium

AGRIFOLIUM, *Ger. Em.* 1338. Ilex V. aculeata buccifera folio ſinuato. *C. B. Pin.* 425. *The Holly-Tree.* In ſepibus frequens. Junio floret.

Agrimonia eupatoria.

AGRIMONIA. *Ger. Em.* 712. Eupatorium veterum ſive Agrimonia. *C. B. Pin.* 321. *Agrimony.* In paſcuis & ad ſepes frequens. Junio floret.

Malva alcea seu M. Moschata.

ALCEA VULGARIS MAJOR. *C. B. Pin.* 316. Malva verbenacea. *Ger. Em.* 931. *Vervain Mallow.* In pratis ſed non valdè frequens. Junio & Julio floret.

Erysimum alliaria.

ALLIARIA. *Ger. Em.* 794. *C. B. Pin.* 110. Heſperis Allium redolens. *J. R. H.* 222. *Sauce alone, or Jack by the Hedge.* In ſepibus & foſſarum aggeribus paſſim. Aprili & Maio floret.

Allium ursinum.

ALLIUM SYLVESTRE LATIFOLIUM. *C. B. Pin.* 74. Urſinum. *Ger. Em.* 179. *Ramſons.* In paluſtribus, *as in a Meadow near* Gulch Well *plentifully.* Aprili floret.

Betula Alnus.

ALNUS. *Ger. Em.* 1477. rotundifolia glutinoſa

glutinoſia viridis. *C. B. Pin.* 428. *The common Alder-Tree.* In aquoſis paſſim.

Rhamnus frangula.

ALNUS NIGRA SIVE FRANGULA. *Ger.* Em. 1470. nigra baccifera. *C. B. Pin.* 428. *The Black-berry-bearing Alder.* In ſylvis ſed rariùs. *In* White-Heath Wood *on* Harefield-Common *plentifully.* Vere floret.

Cerastium aquaticum.

ALSINE AQUATICA MAJOR. *C. B. Pin.* 251. Paluſtris. *Ger. Em.* 613. *Great Marſh Chickweed.* In paluſtribus & ad fluviorum ripas. Æſtate floret.

Cerastium vulgatum.

ALSINE HIRSUTA MAGNO FLORE. *C. B. Pin.* 251. Alſine Myoſotis procerior & longiore folio. *Merr. Pin.* 6 *Narrow leav'd Mouſe-Ear Chickweed.* In ſterilioribus frequens. Aprili floret.

Cerastium viscosum.

ALSINE HIRSUTA MYOSOTIS LATIFOLIA PRÆCOCIOR. *Raii Cat. Angl.* 16. hirſuta altera viſcoſa. *C. B. Pin.* 251. *The broader leav'd Mouſe-Ear Chickweed.* Cum priore nec minùs frequens.

Stellaria graminea

ALSINE AQUATICA MEDIA. *C. B. Pin.* 258. fontana. *Ger. Em.* 613. *Long leav'd Water Chickweed:* In uliginoſis ſed rsriùs Julio floret.

ALSINE

Alsine media.

Alsine Media. *C. B. Pin.* 250. Minor ſive media. *Ger. Em.* 611. *Middle Chickweed.* Per totum ferè annum floret in hortis & areis ubique.

Arenaria serpyllifolia.

Alsine Minor Multicaulis. *C. B. Pin.* 250. Minima. *Ger. Em.* 612. *The leaſt Chickweed.* Muris plerumque innaſcitur, Æſtate florens.

Montia fontana.

Alsine Parva Palustris Tricoccos Portulacæ Aquaticæ Similis. *Raii Syn. Ed.* III. 352. Alſineformis paluſtris tricarpos floſculis albis inapertis. *Plukenet Phyt.* Tab. 7. Fig. 5. *Small Water Chickweed, or Purſlane, by ſome called Blinks.* In paluſtribus. *On* Harefield-Common *plentifully.* Aprili floret.

Arenaria trinervia

Alsine Plantaginis Folio. *J. B. Raii Syn. Ed.* III. 349. *Plantain-leav'd Chickweed.* Ad ſepes præſertim locis uliginoſis. Maio floret.

Peplis portulaca.

Alsine Rotundifolia seu Portulaca Aquatica. *Ger. Em.* 614. Paluſtris minor folio oblongo. *C. B. Pin.* 251. *Prod.* 118. *Water Purſlane.* In paluſtribus & aquoſis frequens. Autumno floret.

anagallis arvensis.

Anagallis Mas. *Ger. Em.* 617. phœniceo flore. *C. B. Pin.* 252. *Male Pimpernel.* In hortis & inter ſegetes. Maio floret.

Lysimachia nemorum.

Anagallis Lutea. *Ger. Em.* 618. lutea nemorum. *C. B. Pin.* 252. *Yellow Pimpernel.* In ſylvis humidis & umbroſis. *In* Scarlet-Spring, *abundantly.* Maio floret.

Anemone nemorosa.

Anemone Nemorum, Flore Albo et Purpurascente. *Ger. Em.* 383. nemoroſa flore majore. *C. B. Pin.* 176. *Wood Anemony.* In ſylvis paſſim. Aprili floret.

Angelica sylvestris

Angelica Sylvestris Major. *C. B. Pin.* 155. ſylveſtris. *Ger. Em.* 999. *Wild Angelica.* In aquoſis frequens occurrit, *as on the Banks of* Harefield River *and elſewhere.* Junio floret.

Aegopodium podagraria

Angelica Sylvestris Minor sive Erratica. *C. B. Pin.* 155. Herba Gerardi. *Ger. Em.* 1001. *Herb Gerard Gout-Wort, or Aſh-Weed.* Hortorum peſtis eſt, Æſtate florens.

Ononis spinosa.

Anonis Spinosa Flore Purpureo. *C.B. Pin.* 389. Anonis ſive Reſta Bovis. *Ger.*

Ger. Em. 1322. *Reſt-harrow, Cammock, or Petty-Whin.* In ſterilioribus, *as in the Lane near* Harefield-Mill. Julio & Auguſto floret. Variat flore albo.

Ononis arvensis.

ANONIS NON SPINOSA PURPUREA. *Ger. Em.* 1322. ſpinis carens purpurea. *C. B. Pin.* 389. *Purple Reſt-harrow without Prickles.* Cum priore. Tetri odoris eſt hæc planta.

Galium aparine.

APARINE VULGARIS. *C. B. Pin.* 334. *Ger. Em.* 1122. *Gooſe-Graſs, or Clivers.* In ſepibus paſſim. Æſtate floret.

Aquilegia vulgaris.

AQUILEGIA SYLVESTRIS *C. B. Pin.* 144. flore cæruleo. *Ger. Em.* 1093. *Columbines.* In ſylvis & dumetis, ſed rariùs circa *Harefield* reperitur. Junio floret.

Artemisia vulgaris

ARTEMISIA VULGARIS MAJOR. *C. B. Pin.* 137. Artemiſia, ſive Mater Herbarum. *Ger. Em.* 1103. *Mugwort.* Ad vias & agrorum margines frequens. Junio floret.

Arum maculatum.

ARUM VULGARE. *Ger. Em.* 834. maculatum maculis nigris vel candidis, &

non maculatum. *C. B. Pin.* 195. *Wake-Robin or Cuckow-Pint.* Ad ſepes paſſim. Primo Vere piſtillum promit.

Arundo phragmitis.

ARUNDO VALLATORIA. *Ger. Em.* 36. Harundo vulgaris ſive vallatoria. *Park.* 1208. *The common Reed.* In aquoſis & ad fluviorum ripas frequentiſſimè.

Asperula odorata

ASPERULA. *Ger. Em.* 1124. ſeu Rubeola montana odora. *C. B. Pin.* 334. *Woodroof.* In ſylvis paſſim & copioſè. Aprili floret.

Orobus sylvaticus.

ASTRAGALUS SYLVATICUS. *Ger. Em.* 1237. ſylvat. foliis oblongis glabris. *C. B. Pin.* 351. *Wood-Peaſe, or Heath-Peaſe.* In ſylvis paſſim. Aprili floret.

Atriplex patula.

ATRIPLEX SYLVESTRIS ANGUSTIFOLIA. *Ger. Em.* 326. anguſto oblongo folio. *C. B. Pin.* 119. *Narrow-leav'd wild Orache.* In fimetis & locis ruderatis. Junio & Julio floret.

Chenopodium vulvaria.

ATRIPLEX OLIDA. *Ger. Em.* 327. fœtida. *C. B. Pin.* 119. *Stinking Orache.* In locis incultis & ruderatis non tamen admodum frequens. Junio & Julio floret.

B.

Conyza squarrosa.

BACCHARIS MONSPELIENSIUM. *Ger. Em.* 792. Conyza major vulgaris. *C. B. Pin.* 265. *Plowman's Spikenard.* In cretaceis, *as in the Old Chalk Pit near* Harefield-Mill *plentifully.* Julio floret.

Erysimum barbarea

BARBAREA. *Ger. Em.* 243. Eruca lutea latifolia, ſive Barbarea. *C. B. Pin.* 98. *Winter-Creſſes.* In aquoſis frequens. Maio floret.

Arctium lappa; ...

BARDANA MAJOR. *Ger. Em.* 809. Lappa major Arcium Dioſcoridis. *C. B. Pin.* 198. *Great Burdock.* Paſſim ad vias & ſepes. Julio & Auguſto floret.

Arctium lappa Var.

BARDANA MAJOR ALTERA. *Ger. Em.* 810. Lappa major montana, capitulis tomentoſis, ſive Arctium Dioſcoridis. *C. B. Pin.* 198. *Woolly-headed Burdock.* Ad vias & in locis ruderatis, ſed minùs frequens.

Chrysanthemum leucanthemum.

BELLIS MAJOR. *Ger. Em.* 634. ſylveſtris caule folioſo major. *C. B. Pin.*

261. *The great Daiſy, or Ox-Eye.* In pratis & paſcuis ubique. Maio floret.

Bellis perennis.

BELLIS SYLVESTRIS MINOR. *C. B. Pin.* 261. minor ſylveſtris. *Ger. Em.* 636. *The leſſer Daiſy.* In paſcuis paſſim. Per totum ferè annum floret.

Betonica officinalis

BETONICA PURPUREA. *C. B. Pin.* 235. *Ger. Em.* 714. *Betony.* In ſylvis copioſè. Junio & Julio floret.

Betula alba

BETULA. *Ger. Em.* 1478. *C. B. Pin.* 427. *The Birch Tree.* In ſylvis paſſim.

Carpinus betulus.

BETULUS SIVE CARPINUS. *Ger. Em.* 1479. Oſtrya Ulmo ſimilis fructu in umbilicis foliaceis. *C. B. Pin.* 427. *The Horn Beam Tree. Frequent in the Woods.*

Ophrys ovata.

BIFOLIUM SYLVESTRE VULGARE. *Park.* 504. Ophris bifolia. *C. B. Pin.* 87. *Common Tway-blade.* In ſylvis & pratis humidis. *In* White-Heath-Wood, *and* Scarlet-Spring *near* Harefield *abundantly, alſo in the Meadows near the River.* Maio floret.

Polygonum bistorta:

BISTORTA MAJOR. *Ger. Em.* 399. major radice minùs intortâ. *C. B. Pin.* 192.

192. *Great Biſtort, or Snake-weed.* In paluſtribus, *as in the Meadows near* Uxbridge, *and about* Rickmanſworth *by the River's Side.* Aprili floret.

Verbascum Hollanic.

Blattaria Plinii. *Ger. Em.* 776. lutea folio longo laciniato. *C. B. Pin.* 240. *Yellow Moth-Mullein.* In Angliâ rariùs occurrit. *I found it this Year* (1735) *in a chalky Field near* Harefield-Mill, *but not plentifully.* Julio floret.

Chenopodium polyspermum

Blitum Polyspermon. *C. B. Pin.* 118. *Park.* 753. *Upright Blite, or All-Seed.* In arvis pinguioribus & inter olera frequens reperitur. Æſtate floret.

Chenopodium bonus Henricus

Bonus Henricus. *Ger. Em.* 329. Lapathum unctuoſum, folio triangulo. *C. B. Pin.* 115. *Engliſh Mercury, or All-Good.* In locis incultis non raro occurrit. Aprili & Maio floret.

Bryonia dioica alba.

Bryonia Alba. *Ger. Em.* 869. aſpera ſive alba baccis rubris. *C. B. Pin.* 297. *White Briony.* Ad ſepes paſſim. Maio floret.

Tamus communis.

Bryonia Nigra. *Ger. Em.* 871.

lævis,

lævis, ſive nigra racemoſa. *C. B. Pin.* 297. *Black Briony.* Cum priore.

Lycopsis arvensis.

BUGLOSSA SYLVESTRIS MINOR. *Ger. Em.* 799. Bugloſſum ſylveſtre minus. *C. B. Pin.* 256. *Small wild Bugloſs.* In arvis requietis. Junio floret.

Ajuga reptans.

BUGULA. *Ger. Em.* 631. Conſolida media pratenſis cærulea. *C. B. Pin.* 260. *Bugle.* In pratis humidis & ſylvis paſſim. Aprili & Maio floret. Variat flore albo.

Bunium bulbocastanum.

BULBOCASTANUM MINUS. *Ger. Em.* 1064. *C. B. Pin.* 162. *Earth-Nut, or Kipper-Nut.* In paſcuis frequens. Maio floret.

Thlaspi bursa pastoris.

BURSA PASTORIS. *Ger. Em.* 276. major folio ſinuato. *C. B. Pin.* 108. *Shepherd's Purſe.* Ad vias & ſemitas paſſim. Per totam Æſtatem floret.

Buxus sempervirens

BUXUS. *Ger. Em.* 1410. arboreſcens. *C. B. Pin.* 471. *The Box-Tree.* In ſylvis ſed rariùs. Vere floret.

C.

C.

Melissa nepeta.

CALAMINTHA ODORE PULEGII. *Ger. Em.* 687. Pulegii odore ſive Nepeta. *C. B. Pin.* 228. *Field Calamint.* Ad vias & ſemitas. *By the Road Side leading from* Harefield *to* Chalfont St. Peters *plentifully.* Julio & Auguſto floret.

Melissa calamintha.

CALAMINTHA VULGARIS. *Ger. Em.* 687. vulgaris, vel Officinarum Germaniæ. *C. B. Pin.* 228. *Common Calamint.* Ad vias publicas, *as in* Harefield-ſtreet *going to the River, but not very plentifully.* Æſtate floret.

Caltha palustris

CALTHA PALUSTRIS MAJOR. *Ger. Em.* 617. paluſtris flore ſimplici. *C. B. Pin.* 276. *Marſh Marigold.* In paluſtribus & pratis humidis paſſim. Maio floret. Invenitur flore pleno ſed rariùs.

Campanula rotundifolia

CAMPANULA ROTUNDIFOLIA. *Ger. Em.* 452. minor rotundifolia vulgaris. *C. B. Pin.* 93. *Round-leav'd Bell-Flower. On* Harefield-Common *plentifully.* Auguſto floret. Variat flore albo.

CAR-

Cardamine pratensis.

CARDAMINE. *Ger. Em.* 259. Naſturtium pratenſe magno flore. *C. B. Pin.* 104. *Ladies-Smock, or Cuckow-Flower.* In paluſtribus copioſè. Martio & Aprili floret.

Cardamine amara.

CARDAMINE FLORE MAJORE ELATIOR. *J.R.H.* 224. Naſturtium aquaticum majus & amarum. *C. B. Pin.* 104. *Bitter Creſſes. By the River's Side near* Harefield, *alſo about* Uxbridge *plentifully.* Aprili & Maio floret.

CARDAMINE IMPATIENS ALTERA HIRSUTIOR. *Raii Syn. Ed.* III. 300. Naſturtium aquaticum minus. *C. B. Pin.* 104. *The leſſer hairy impatient Ladies Smock. In the Brook in* Scarlet-Spring, *and in* Gutter's-Dean Wood *near* Harefield *plentifully.* Aprili floret.

Onopordum acanthium.

CARDUUS TOMENTOSUS, ACANTHIUM DICTUS VULGARIS. *Raii Syn. Ed.* III. 196. Acanthium album. *Ger. Em.* 1149. *Common Cotton Thiſtle.* In incultis paſſim. Julio floret.

Carduus lanceolatus.

CARDUUS LANCEATUS. *Ger. Em.* 1174. lanceatus latifolius. *C. B. Pin.* 385. *Spear*

Spear-Thiſtle. In incultis paſſim. Autumno floret.

Carduus marianus.

Carduus Mariæ. *Ger. Em.* 1150. Carduus albis maculis notatus vulgaris. *C. B. Pin.* 381. *Ladies Thiſtle.* Ad agrorum margines frequens. Autumno floret.

Carduus Moschatus. *Pet. H. B.* 21. 1. Cirſium majus ſingulari capitulo magno. *C. B. Pin.* 377. *Musk Thiſtle with a bending Head.* In arvis requietis. Julio floret.

Carduus palustris.

Carduus Palustris. *C. B. Pin.* 377. *Park.* 983. *Marſh Thiſtle.* In paluſtribus & pratis humidis copioſè provenit. Æſtate floret.

Carduus Polyacanthos Primus. *Ger. Em.* 1172. ſpinoſiſſimus anguſtifolius vulgaris. *C. B. Pin.* 385. *Thiſtle upon Thiſtle.* Ad margines agrorum & inter vepres. Æſtate floret.

Centaurea solstitialis.

Carduus Stellatus. *Ger. Em* 1166. ſtellatus foliis papaveris erratici. *C. B. Pin.* 387. *Star-Thiſtle.* In locis incultis. Auguſto floret.

CAR-

Carlina vulgaris.

CARLINA SYLVESTRIS MAJOR. *Ger. Em.* 1159. Cnicus ſylveſtris ſpinoſior. *C. B. Pin.* 378. *Common Carline Thiſtle. In the* Old Chalk Pit *at* Harefield *plentifully.* Poſt mediam æſtatem floret.

Geum urbanum.

CARYOPHYLLATA. *Ger. Em.* 994. vulgaris. *C. B. Pin.* 321. *Avens, or Herb Bennet.* In ſepibus paſſim. Maio floret

Lathyrus nissolia.

CATANANCE LEGUMINOSA QUORUNDAM. *J. B. Raii Syn. Ed.* III. 325. Ervum ſylveſtre. *Ger. Em.* 1249. Lathyrus ſylveſtris minor. *C. B. Pin.* 344. *Crimſon Graſs Vetch. In a Meadow near* Harefield-Church *plentifully.* Maio floret.

Caucalis anthriscus.

CAUCALIS MINOR FLOSCULIS RUBENTIBUS. *Ger. Em.* 1022. ſemine aſpero, floſculis rubentibus. *C. B. Pin.* 153. *Prod.* 80. *Hedge Parſley.* Ad ſepes & dumetis frequens. Junio floret.

Caucalis arvensis

CAUCALIS SEGETUM MINOR, ANTHRISCO HISPIDO SIMILIS. *Raii Hiſt.* 468. *Small Corn Parſley.* Inter ſegetes paſſim. Julio floret.

CEN-

Chlora perfoliata.

Centaurium Luteum Perfoliatum. *C. B. Pin.* 278. parvum luteum Lobelii. *Ger. Em.* 547. *Yellow Centory.* In cretaceis, *as in the* Old Chalk Pit *near the Duke of* Portland'*s at* Gerard's-Croſs *plentifully.* Junio floret.

Gentiana centaurium.

Centaurium Minus. *C. B. Pin.* 278. parvum. *Ger. Em.* 547. *The leſſer Centory.* In pratis montoſis & ſicciori-bus. Junio floret.

Prunus Padus

Cerasus Sylvestris Fructu Rubro. *J. B. Raii Syn. Ed.* III. 463. *The Wild Cherry-Tree.* In ſylvis ſed rariùs. Aprili floret.

Chaerophyllum sylvestre

Cerefolium Sylvestre. *Ger. Em.* 1038. Chærophyllum ſylveſtre. *C. B. Pin.* 152. *Wild Chervil.* Ad ſepes paſſim. Junio floret.

Anthemis nobilis

Chamæmelum Romanum. *Ger. Em.* 755. Nobile ſeu Leucanthemum odoratius. *C. B. Pin.* 135. *Sweet-ſcented creeping Camomile. On* Harefield-Common *abundantly.* Julio & Auguſto floret.

Chelidonium majus.

Chelidonium Majus. *Ger. Em.* 1069. majus vulgare. *C. B. Pin.* 144. *Great Celandine.* In locis ruderatis & incultis. Maio floret.

Ranunculus ficaria.

Chelidonium Minus. *Ger. Em.* 816. Chelidonia rotundifolia minor. *C. B. Pin.* 309. *Small Celandine or Pilewort.* In pratis humidis ubique. Primo vere floret. Invenitur flore pleno ſed rariùs.

Chrysanthemum segetum.

Chrysanthemum Segetum. *Ger. Em.* 743. Bellis lutea foliis profundè inciſis major. *C. B. Pin.* 262. *Corn-Marigold.* Inter ſegetes paſſim. Junio floret.

Conium maculatum.

Cicuta. *Ger. Em.* 1051. major *C. B. Pin.* 160. *Hemlock.* Pleriſque locis reperitur. Julio floret.

Aethusa cynapium.

Cicutaria Tenuifolia. *Ger. Em.* 1063. Cicuta minor, Petroſelino ſimilis. *C. B. Pin.* 160. *The Leſſer Hemlock or Fool's Parſley.* In hortis & inter ſata paſſim occurrit. Julio floret.

Circaea lutetiana

Circæa Lutetiana. *Ger. Em.* 351. Solanifolia Circæa dicta major. *C. B.*

B. Pin. 168. *Enchanter's Nightſhade.* In ſylvis & locis umbroſis frequens. Junio & Julio floret.

Vinca major

Clematis Daphnoides Major. *Ger. Em.* 894. *C. B. Pin.* 302. *Great Periwinckle. In a Meadow near* Harefield-Church. Maio floret.

Vinca minor.

Clematis Daphnoides Minor. *C. B. Pin.* 301. Vinca Pervinca minor. *Ger. Em.* 894. *Periwincle. In little Grove Wood near* Breakſpears, *alſo in a Lane leading from* Uxbridge-Moor *to* Iver-Heath. Maio floret.

Clinopodium vulgare

Clinopodium Majus. *Park.* 22. Origano ſimile. *C. B. Pin.* 224. *Great Wild Baſil.* Ad ſepes & in dumetis copioſè. Julio floret.

Thymus acinos.

Clinopodium Minus seu Vulgare. *Park.* 21. arvenſe Ocymi facie. *C. B. Pin.* 225. *Wild Baſil.* In locis glareoſis & cretaceis, ſed minùs frequens. *In the* Old Chalk Pit *at* Gerard's Croſs *near the Duke of* Portland's *plentifully.* Junio floret.

Symphytum officinale

CONSOLIDA MAJOR FLORE ALBO. *Ger. Em.* 806. Symphytum, Conſolida major. *C. B. Pin.* 259. *Comfrey.* In aquoſis paſſim. Maio floret. Invenitur flore purpureo ſed rarius.

Inula dysenterica

CONYZA MEDIA. *Ger. Em.* 482. media Aſteris flore luteo, vel tertia Dioſcoridis. *C. B. Pin.* 265. *Middle Flea-bane.* Ad Foſſas & rivos. Julio & Auguſto floret.

Inula pulicaria

CONYZA MINIMA. *Ger. Em.* 482. minor flore globoſo. *C. B. Pin.* 266. *Small Flea-bane.* In aquoſis & ubi per hyemem aquæ ſtagnârunt. Auguſto floret.

Convolvulus major.

CONVOLVULUS MAJOR ALBUS. *C. B. Pin.* 294. Smilax lenis ſive lævis major. *Ger. Em.* 861. *Great Bindweed.* Hortorum peſtis eſt. Maio floret.

Convolvulus minor.

CONVOLVULUS MINOR ARVENSIS. *C. B. Pin.* 294. Smilax lenis minor. *Ger. Em.* 861. *Small Bindweed.* In arvis frequens. Maio floret.

Cornus sanguinea

CORNUS FÆMINA. *Ger. Em.* 1467. *C. B. Pin.* 447. *The Dog-berry Tree.* In ſylvis & ſepibus. Maio floret.

CORYLUS

Corylus Sylvestris. *Ger. Em.* 1438. *C. B. Pin.* 418. *The Hazel-Nut Tree.* In ſepibus paſſim. Primo vere Julos profert.

Hydrocotyle vulgaris.

Cotyledon Palustris. *Ger. Em.* 529. Hydrocotyle vulgaris. *J. R. H.* 328. *Marſh Pennywort, or White Rot.* In paluſtribus frequens, *as on* Harefield Common *and* Iver Heath *abundantly*. Junio floret.

Cratæogonon Euphrosine. *Ger. Em.* 95. Euphraſia pratenſis rubra. *C. B. Pin.* 234. *Eye-bright Cow-wheat.* Inter ſegetes paſſim. Julio & Auguſto floret.

Valantia cruciata.

Cruciata. *Ger. Em.* 1123. hirſuta. *C. B. Pin.* 335. *Croſs-wort or Mug-weed.* In dumetis ſed minùs frequens. Maio floret.

Cuscuta Major. *C. B. Pin.* 219. Cuſcuta ſive Caſſutha. *Ger. Em.* 577. *Dodder, or Hell-weed.* Satorum peſtis eſt. Julio floret.

Centaurea cyanus.

Cyanus Vulgaris. *Ger. Em.* 732. Cyanus ſegetum. *C. B. Pin.* 273. *Common Blue-bottles.* Inter ſegetes paſſim.

Arnold Arboretum Harvard

Sub finem æſtatis floret. Variat flore albo.

Mercurialis perennis.

Cynocrambe Mas et Fæmina. *Ger. Em.* 333. Mercurialis montana teſticula & ſpicata. *C. B. Pin.* 122. *Dogs Mercury.* In ſepibus paſſim. Vere floret.

Cynogloſſum officinale.

Cynogloſſum Majus Vulgare. *Ger. Em.* 804. *C. B. Pin.* 257. *Common Hound's Tongue.* In locis ruderatis & incultis frequens. Junio & Julio floret.

D.

Daucus carota.

Daucus Sylveſtris Tenuifolia. *Ger. Em.* 1028. Paſtinaca ſylveſtris tenuifolia Dioſcoridis, vel Daucus Officinarum. *C. B. Pin.* 151. *Wild Carrot, or Bird's Neſt.* In paſcuis frequens. Junio floret.

Dens Leonis. *Ger. Em.* 290. latiore folio. *C. B. Pin.* 126. *Dandelion.* In paſcuis ubique. Vere floret.

Dens Leonis Hirsutus Λεπτόκαυλος, Hieracium Dictus. *Raii Syn. Ed.* III.

III. 171. Hieracium aſperum flore magno Dentis Leonis. *C. B. Pin.* 127. *Rough Dandelion, commonly called Dandelion Hawk-weed.* In pratis & paſcuis copioſè. Maio floret.

Dens Leonis Minimus Asper. *J. R. H.* 469. Hieracium pumilum ſaxatile aſperum præmorſâ radice. *C. B. Pin.* 128. *Prod.* 66. *Dwarf rough Stone Hawk-weed with bitten Roots. In the Gardens at* Breakſpears *plentifully.* Junio floret.

Dentaria bulbifera

Dentaria Bulbifera. *Ger. Em.* 984. Heptaphyllos baccifera. *C. B. Pin.* 322. ſobolifera. *H. Oxon.* 255. *Tooth-wort, or Coral-wort. In the* Old Park Wood *near* Harefield *abundantly.* Circa mediam Aprilis floret.

Dentaria Major Matthioli. *Ger. Em.* 1585. Orobanche radice dentatâ major. *C. B. Pin.* 88. *Tooth-wort. In a ſhady Lane near* Harefield Town *plentifully.* Aprili floret.

Digitalis purpurea -

Digitalis Purpurea. *Ger. Em.* 790. purpurea folio aſpero. *C. B. Pin.* 243. *Purple Fox-glove.* Ad vias & ſemitas

mitas paſſim. Maio floret. Variat flore albo.

Dipsacus sylvestris

DIPSACUS SYLVESTRIS MAJOR. *C. B. Pin.* 385. ſylveſtris. *Ger. Em.* 1167. *Wild Teaſel.* In incultis & ad agrorum margines frequens. Julio floret.

Dipsacus pilosus.

DIPSACUS SYLVESTRIS CAPITULO MINORE, VEL VIRGA PASTORIS MINOR. *C. B. Pin.* 385. Minor ſive Virga Paſtoris. *Ger. Em.* 1168. *Small Wild Teaſel, or Shepherd's-rod. About* More-Hall, *alſo in a little Wood near Sir* George Cooke'*s Houſe at* Harefield *plentifully.* Autumno floret.

E.

EBULUS SIVE SAMBUCUS HUMILIS. *Ger. Em.* 1426. Sambucus humilis ſive Ebulus. *C. B. Pin.* 456. *Dwarf Elder or Dane-wort. In a Meadow near* Breakſpears, *and on* Uxbridge Moor *plentifully.* Junio & Julio floret.

ECHIUM VULGARE. *Ger. Em.* 802. *C. B. Pin.* 254. *Viper's Bugloſs.* Inter

ſegetes

ſegetes nimis frequens. Junio & Julio floret.

Antirrhinum elatine

ELATINE FOLIO ACUMINATO IN BASI AURICULATO, FLORE LUTEO. *C. B. Pin.* 253. Elatine altera. *Ger. Em.* 625. *Sharp-leav'd Fluellin.* Inter ſegetes frequens. Julio & Auguſto floret.

Antirrhinum ſpurium.

ELATINE FOLIO SUBROTUNDO. *C. B. Pin.* 252. Elatine, ſive Veronica fæmina Fuchſii. *Ger. Em.* 625. *Round-leav'd Fluellin.* Cum priore nec minùs frequens.

Inula Helenium.

ENULA CAMPANA SIVE HELENIUM. *Ger. Em.* 793. Helenium vulgare. *C. B. Pin.* 276. *Elecampane.* In pratis quibuſdam ſed rariùs. *In a Cloſe adjoining to* Harefield Common, *alſo in a Meadow near* Breakſpears *called* Gantlets, *but not plentifully.* Julio floret.

EQUISETUM ARVENSE LONGIORIBUS SETIS. *C. B. Pin.* 16. ſegetale. *Ger. Em.* 1114. *Corn Horſe-tail.* Inter ſegetes haud infrequens, præſertim locis humidioribus.

EQUI-

Equisetum Nudum Lævius Nostras. *Raii Syn. Ed.* III. 131. *Smooth naked Horſe-tail. In the* Warren-Pond *near* Breakſpears.

Equisetum Foliis Nudum Ramosum. *C. B. Pin.* 16. Junceum ramoſum. *Park.* 1207. *Branch'd naked Horſe-tail. With the laſt.*

Equisetum Sylvaticum. *Ger. Em.* 1114. ſylvaticum tenuiſſimis ſetis. *C. B. Pin.* 16. *Wood Horſe-tail.* In ſylvis humidis & umbroſis non rarò occurrit.

Equisetum Palustre Brevioribus Foliis Polyspermon. *C. B. Pin.* 15. paluſtre alterum brevioribus ſetis. *Park.* 1200. *Female Horſe-tail. In* Harefield *River, alſo in a Bog on* Uxbridge-Moor *plentifully.*

Erica Major Flore Purpureo. *Ger. Em.* 1381. ex rubro nigricans ſcoparia. *C. B. Pin.* 486. *Low Dutch Heath.* In Ericetis copioſè. Autumno floret.

Erica Tenuifolia. *Ger. Em.* 1382. humilis cortice cinericeo Arbuti

flore.

flore. *C. B. Pin.* 486. *Fine leav'd Heath.* Cum priore.

ERICA VULGARIS SIVE PUMILA. *Ger. Em.* 1380. vulgaris glabra. *C. B. Pin.* 485. *Common Heath. Theſe three laſt grow plentifully on* Harefield Common.

Erysimum officinale.

ERUCA HIRSUTA, SILIQUA CAULI APPRESSA, ERYSIMUM DICTA. *Raii Syn. Ed.* III. 298. Eryſimum vulgare. *C. B. Pin.* 100. *Hedge Muſtard.* Ad vias & ſemitas. Junio floret.

Euonymus Europaeus.

EUONYMUS THEOPHRASTI. *Ger. Em.* 1468. vulgaris granis rubentibus. *C. B. Pin.* 428. *Spindle-Tree, or Prickwood.* In ſepibus & locis humidioribus. Aprili & Maio floret.

Eupatorium cannabinum.

EUPATORIUM CANNABINUM. *C. B. Pin.* 320. mas. *Ger. Em.* 711. *Common Hemp Agrimony, or Dutch Agrimony.* In paluſtribus copioſè. Julio & Auguſto floret.

Bidens tripartitum.

EUPATORIUM CANNABINUM FÆMINA. *Ger. Em.* 711. Cannabina aquatica folio tripartito diviſo. *C. B. Pin.* 321. *Water Hemp. Agrimony with a divided*

vided Leaf. In aquoſis frequens. Julio & Auguſto floret.

Bidens cernua

Eupatorii Cannabini Fæminæ Varietas Altera. *Ger. Em.* 711. Cannabina aquatica folio non diviſo. *C. B. Pin.* 321. *Water Hemp Agrimony with a divided Leaf.* Cum priore.

Euphrasia officinalis.

Euphrasia. *Ger. Em.* 663. Officinarum. *C. B. Pin.* 233. *Eye-bright.* In pratis & paſcuis, nonnunquam etiam in Ericetis invenitur. Junio floret.

F.

Fagus. *Ger. Em.* 1444. *C. B Pin.* 419. *The Beech Tree.* In ſylvis copioſè. Aprili & Maio floret.

Festuca Avenacea Sterilis Elatior. *C. B. Pin.* 9. Bromos ſterilis. *Ger. Em.* 76. *Great wild Oat Graſs, or Drank.* In ſepibus & ad agrorum margines. Maio menſe paſſim reperitur.

Filix Fæmina. *Ger. Em.* 1128. ramoſa major pinnulis obtuſis non dentatis. *C.*

C. B. Pin. 357. *Female Fern.* Paſſim nimis frequens.

Filix Mas. *Ger. Em.* 1128. non ramoſa dentata. *C. B. Pin.* 358. *Male Fern.* In umbroſis ſepium aggeribus ubique obvia.

Filix Mas non Ramosa, Pinnulis latis Auriculatis Spinosis. *Ger. Em.* 1130. aculeata major. *C. B. Pin.* 358. *Prodr.* 151. *Prickly Auriculate Male Fern. In the* Old Park Wood *plentifully.*

Fragaria Vulgaris. *C. B. Pin.* 326. Fragaria & Fraga. *Ger. Em.* 997. *Common Strawberry.* In ſylvis paſſim & copioſè. Maio floret.

Fraxinus. *Ger. Em.* 1472. excelſior. *C. B. Pin.* 416. *The Aſh-Tree.* In ſylvis copioſè. Vere floret.

Fritillaria Præcox Purpurea Variegata. *C. B. Pin.* 64. Fritillaria variegata. *Ger. Em.* 149. *Changeable checquer'd Daffodil, or Fritillary. In* Maudfields *near* Riſlip-Common, *obſerv'd above* 40 *Years by Mr.* Aſhby *of* Breakſpears.

D *The*

The Country People call them Snake's-Heads. Aprili floret & citò evaneſcit.

Fumaria Officinarum et Dioscoridis. *C. B. Pin.* 143. purpurea. *Ger. Em.* 1088. *Common Fumitory.* Inter ſegetes frequens. Maio & Junio floret.

Fungus Campaniformis Niger Parvus, Multa Semina Plana in se continens. *Merret. Pin.* 41. minimus ligneis tabellis areolarum hortorum adnaſcens. *C. B. Pin.* 374. *Seeding Cup-Muſhroom. Obſerv'd by the Rev. Mr.* Jacques, *in his Garden at* Uxbridge, *this Year* (1735.)

Fungus Coralloides Flavus et Albidus. *J. R. H.* 564. ramoſus & Imperati. *C. B. Pin.* 371. 29. *Branch'd or Coralline Muſhroom. Gather'd by Mr.* Jacques, *Surgeon at* Uxbridge, *in his Garden there, the ſame Year.*

Fungus Ramosus, Niger, Compressus, parvus, Apicibus albidis. *Raii Syn. Ed.* II. 15. 11. *Black horn'd Wood Muſhroom. At the Bottom of Old Pales, &c. very common.*

G.

G.

GALLIUM ALBUM. *Ger. Em.* 1126. paluſtre album. *C. B. Pin.* 335. *White Ladies Bed-ſtraw.* In paluſtribus & aquoſis. Julio & Auguſto floret.

Galium verum

GALLIUM LUTEUM. *Ger. Em.* 1126. luteum. *Chabr.* 335. *Yellow Ladies Bed-ſtraw.* Ad agrorum margines ſolo præſertim ſicco aut glareoſo. Junio & Julio floret.

Genista anglica.

GENISTA ACULEATA. *Ger. Em.* 1320. Minor Aſpalathoides, ſive geniſta ſpinoſa Anglica. *C. B. Pin.* 395. *Prodr.* 157. *Needle Furze, or Petty Whin.* In Ericetis. Junio floret.

Spartium scoparium.

G NISTA VULGARIS. *Ger. Em.* 1311. Anguloſa & ſcoparia. *C. B, Pin.* 395. *Common Broom.* In paſcuis ſiccioribus, Aprili & Maio floret.

Genista tinctoria.

GENISTELLA TINCTORIA. *Ger. Em.* 1316. Geniſta Tinctoria Germanica. *C. B. Pin.* 395. *Dyers Weed, or Wood-waxen.* In paſcuis ſed non valdè frequens. Julio floret.

Gentiana Pratensis Flore Lanucinoso. *C. B. Pin.* 188. Gentianella fugax minor. *Ger. Em.* 437. Gentianella fugax Autumnalis elatior, Centaurii minoris foliis. *Raii Syn. Ed.* III. 275. 3. *Dwarf Autumnal Gentian, or Fell-wort. In the Old Chalk-Pit near* Harefield-Mill *plentifully.* Auguſto & Septembri floret.

Geranium diſſectum

Geranium Columbinum Majus Dissectis Foliis. *Ger. Em.* 938. Malacoides ſive columbinum tenuius laciniatum. *Park.* 707. *Dove's-Foot Crane's Bill with jagged Leaves.* In paſcuis præſertim glareoſis & ſterilioribus. Maio floret.

Geranium columbinum.

Geranium Columbinum Dissectis Foliis, Pediculis Florum Longissimis. *Raii Cat. Angl.* 130. Columbinum foliis magis diſſectis, pediculis longiſſimis, flore magno. *Merret. Pin.* 45. *Jagged Dove's-Foot Crane's-Bill with Flowers on long Foot-ſtalks.* In paſcuis ſed rarius. *In a Field near* Harefield Common, *in a Gravel-Pit plentifully.* Junio floret.

Geranium lucidum.

Geranium Lucidum Saxatile. *Ger. Em.* 938. *C. B. Pin.* 318. *Shining*

or

or Stone Dove's-Foot Crane's-Bill. In umbroſis, *as in the Lane leading to* Harefield Mill *plentifully.* Maio floret.

Geranium robertianum.

GERANIUM ROBERTIANUM. *C. B. Pin.* 319. *Ger. Em.* 939. *Herb Robert.* In muris & locis ruderatis frequens. Aprili floret.

GERANIUM ROBERTIANUM FLORE ALBO. *White-flower'd Herb Robert. In a Hedge near* Riſlip-Town. Aprili cum floribus inveni, hoc Anno (1735).

Butomus umbellatus.

GLADIOLUS PALUSTRIS CORDI. *Ger. Em.* 29. Juncus floridus major. *C. B. Pin.* 12. *The flowering Ruſh or Water Gladiole.* Ad rivulos & foſſas frequens. Junio floret.

Gnaphalium Germanicum.

GNAPHALIUM VULGARE MAJUS. *C. B. Pin.* 263. Filago ſive Herba impia. *Ger. Em.* 642. *Common Cudweed.* In ſterilioribus frequens. Junio floret.

Gnaphalium uliginosum.

GNAPHALIUM LONGIFOLIUM HUMILE RAMOSUM, CAPITULIS NIGRIS. *Raii Cat. Angl.* 135. medium. *C. B. Pin.* 263. *Black-headed, long-leav'd, low, branch'd Cudweed. In Ditches where Water has ſtood in Winter, very common.* Junio floret.

GRAMEN

Gramen Agrorum Venti Spica. *Park.* 1158. Segetum panicula arundinacea. *C. B. Pin.* 3. *Corn-Reed-Graſs.* Inter ſegetes frequens reperitur.

Gramen Avenaceum Nemorenſe Glumis Rarioribus ex Fusco Xerampelinis. *Raii Syn. Ed.* II. 262. 12. Avenaceum locuſtis rarioribus. *C. B. Pin.* 10. *Red Oat-Graſs of the Woods.* In ſylvis quibuſdam ſed rariùs. *In the* Old Park Wood, *and in the Lane near the* Chalk-Pit *at* Harefield *plentifully.* Aprili paniculam promit.

Gramen Avenaceum Parvum Procumbens, Paniculis non Ariſtatis. *Raii Syn. Ed.* III. 408. 11. *Small ſupine Oat-Graſs, without Awns. On* Harefield-Common, *and near* Battle's Well. Maio paniculam explicat.

Gramen Cristatum. *Ger. Em.* 29. criſtatum pratenſe, ſive Gramen ſpicâ criſtatâ læve. *C. B. Pin.* 3. *Smooth creſted Graſs.* In paſcuis frequentiſſimè reperitur. Junio ſpicam profert.

Gramen Cyperoides Latifolium Spica Rufa sive Caule Triangulo. *C. B. Pin.* 6. majus latifolium.. *Park.* 1265. *Great vernal Cyprus-Graſs.* In aquoſis, & ad fluviorum ripas paſſim. Maio floret.

Gramen Cyperoides Majus Angustifolium. *Park.* 1265. *Ger. Em.* 29. *Great narrow-leav'd vernal Cyperus-Graſs.* Cum priore.

Gramen Cyperoides Pulicare. *Merr. Pin.* 52. minimum, ſeminibus deorſum reflexis puliciformis. *Raii Syn. Ed.* II. 269. 12. *Flea-Graſs. On* Harefield-Moor *plentifully.*

Gramen Cyperoides, Foliis Caryophylleis, Spicis Oblongis e Pediculis Longioribus Pendulis. *Raii Syn. Ed.* II. 264. 5. *Many-ſpik'd July-Flower-leav'd Cyperus-Graſs with pendulous Heads.* In pratis humidioribus paſſim occurrit.

Gramen Cyperoides Polystachion Lanuginosum. *Raii Syn. Ed.* II. 265. 6. *Many-ſpik'd hairy Cyperus-Graſs.*

Graſs. In paluſtribus & aquoſis frequens. Aprili & Maio ſpicas profert.

Gramen Cyperoides Tenuifolium, Spicis ad Summum Caulem Seſſilibus Globulorum Æmulis. *Plukenet. Phyt. Tab.* 91. *f.* 8. *On* Harefield-Common *plentifully*.

Gramen Cyperoides Spicatum Minus, Spica Longa Divulsa seu Interrupta. *Raii Syn. Ed.* II. 269. 10. *The leſſer-ſpik'd Cyperus-Graſs, with a long interrupted Ear.* In paſcuis & locis humidioribus, ſed non ita frequens.

Gramen Cyperoides Anguſtifolium, Spicis Parvis Seſſilibus in Foliorum Alis. *Raii Syn. Ed.* II. 267. 19. *Narrow-leav'd Cyperus-Graſs, with ſhort ſeſſile Spikes.* In foſſis udis multotiès obſervavi.

Gramen Exile Duriuſculum in Muris et Aridis Proveniens. *Raii Syn. Ed.* II. 259. 15. *Small hard Graſs.*

Gramen Exile Hirſutum. *Ger. Em.* 17. hirſutum capitulis Pſyllii. *C. B. Pin.*

Pin. 7. *Small hairy Wood-Graſs.* In pratis & paſcuis paſſim. Primo vere floret.

Gramen Hirsutum Elatius Panicula Juncea Compacta. *Raii Syn. Ed.* II. 263. 2. hirſutum capitulo globoſo. *C. B. Pin.* 7. *The greater hairy Graſs, with a compact Ruſh-like Panicle. In a Wood by the Road's Side going to* Bacher-Heath *from* Harefield-Common, *but not plentifully.*

Gramen Nemorosum Hirsutum Latifolium Maximum. *Raii Syn. Ed.* III. 416. 4. *The greateſt broad-leav'd hairy Wood-Graſs. In a Field near Mr.* Aſhby's *Brick-Kiln at* Harefield *plentifully.* Aprili floret.

Gramen Nemorosum Hirsutum Vulgare. *Raii Syn. Ed.* II. 263. 3. hirſutum latifolium majus. *C. B. Pin.* 7. *Common hairy Wood-Graſs.* In ſylvis paſſim.

Gramen Junceum Clavatum Minimum, sive Holosteum Palustre Repens, Foliis, Capitulis et Seminibus Psyllii. *Raii Syn. Ed.* I.

II. 276. 7. Juncellus capitulis Equiſeti minor & fluitans. *C. B. Pin.* 12. *Prodr.* 23. *Marſh Ruſh-Graſs with Flea-wort Heads. In the Bogs on* Harefield-Common *plentifully.*

Gramen Junceum Parvum, sive Holostium Matthioli, et Gramen Bufonium Flandrorum. *Park.* 1190. nemoroſum calyculis paleaceis. *C. B. Pin.* 7. *Toad-Graſs.* In humidis & aquoſis paſſim.

Gramen Junceum Spicatum, seu Triglochin. *C. B. Pin.* 6. marinum ſpicatum. *Ger. Em.* 18. *Arrow-headed Graſs. In the marſhy Grounds about* Harefield *plentifully.* Julio & Auguſto floret.

Gramen Miliaceum. *Ger. Em.* 6 ſylvaticum paniculâ miliaceâ ſparſâ. *C. B. Pin.* 8. *Millet-Graſs.* Locis ſylvoſis non rarò reperitur.

Gramen Parvum Præcox Spica Laxa Canescente. *Raii Cat. Angl.* 150. *Small Vernal Graſs, with a ſoft looſe Spike.* In ſterilioribus, *as on* Harefield Common, *and elſewhere.*

Gramne

Gramen Pratense Serotinum Panicula Longa Purpurascente. *Raii Syn. Ed.* II. 260. 21. pratenſe ſpica Lavendulæ. *Merr. Pin.* 57. *Late flowering Meadow Graſs with a long purple Panicle. In the moiſt Meadows near* Hare-field-Moor. Julio paniculam promit.

Gramen Junceum Capsulis Triang lis Minimum. *Raii Syn. Ed.* II. 275. 3. Graminis Juncei varietas minor. *Ger. Em.* 4. *The leaſt Triangular-ſeeded Ruſh-Graſs. In the moiſt Parts of* Hare-field Common *plentifully.*

Gramen Sparteum Juncifolium. *C. B. Pin.* 5. Spartum noſtras parvum Lobelii. *Ger. Em.* 43. *Small Mat-weed. On* Harefield Common *abundantly.* Aprili floret.

Gramen Tomentarium. *Ger. Em.* 29. pratenſe tomentoſum paniculâ ſparſâ. *C. B. Pin.* 4. *Cotton-Graſs.* In paluſtribus paſſim.

Gramen Tremulum Majus. *C. B. Pin.* 2. Phalaris pratenſis. *Ger. Em.* 86. *Quaking-*

Quaking-Graſs. In paſcuis frequentiſſimum. Maio paniculam explicat.

GRAMEN TYPHOIDES ASPERUM PRIMUM. *C. B. Pin.* 4. typhinum majus. *Ger. Em.* 10. *Cat's-tail-Graſs.* In paſcuis & ad ſepes præſertim locis humidioribus.

GRAMEN TYPHOIDES ASPERUM ALTERUM. *C. B. Pin.* 4. typhinum minus. *Ger. Em.* 10. *Leſſer Cat's-tail-Graſs.* Cum priore.

GRAMEN TYPHOIDES SPICA ANGUSTIORE. *C. B. Pin.* 4. myoſuroides majus, ſpicâ longiore, ariſtis rectis. *Raii Syn. Ed.* II. 251. *Mouſe-tail-Graſs.* Inter ſegetes paſſim.

H.

Glecoma hederacea.

HEDERA TERRESTRIS. *Ger. Em.* 856. terreſtris vulgaris. *C. B. Pin.* 306. *Ground-Ivy, Ale-hoof, or Tun-hoof.* Ad ſepes paſſim. Aprili floret.

Cistus helianthemum.

HELIANTHEMUM VULGARE LUTEUM. *Ger. Em.* 1282. Chamæciſtus

vulgaris

vulgaris flore luteo. *C. B. Pin.* 465. *Dwarf Ciſtus, or little Sun-Flower..* In montoſis cretaceis. *On the Ruins of* Verulam *abundantly.* Junio floret.

Paris quadrifolia. 328.

Herba Paris. *Ger. Em.* 405. Solanum quadrifolium bacciferum. *C. B. Pin.* 167. *Herb-Paris or One-Berry.* In ſylvis & dumetis ſed rariùs. *In the* Old Park, Hanging-Wood, *and elſewhere near* Harefield *plentifully.* Martio & Aprili floret. Invenitur quandoque hexaphyllos, *as in the* Old Park, *but very rarely.*

Hieracium Asperum. *Ger. Em.* 298. Cichorium pratenſe luteum hirſutie aſperum, vel Hieracium hirſutum foliis caulem ambientibus. *C. B. Pin.* 126. *Rough Hawkweed with a large yellow Flower, Yellow Succory. In* Harefield Chalk-Pit. Julio floret.

Hieracium Echioides Capitulis Cardui Benedicti. *C. B. Pin.* 128. Bugloſſum luteum. *Ger. Em.* 798. *Lang de Bœuf.* Ad agrorum margines frequens. Auguſto floret.

Hieracium Fruticosum Latifolium Hirsutum. *C. B. Pin.* 129. *Park*

802. *Buſhy Hawkweed with broad rough Leaves. In the* Old Park *and other Woods.* Auguſto floret.

Hieracium murorum.

Hieracium Murorum Folio Piloſiſſimo. *C. B. Pin.* 129. murorum Bauhini, quod eſt Pulmonaria Gallorum Lobelii. *Park.* 801. *French or Golden Lung-wort. On a Wall againſt* Hillingdon-Church, *alſo on the Old Walls of the Duke of* Bedford's *Garden at* Cheyneis *in* Buckinghamſhire. Junio & Julio floret.

Hieracium Minus Folio Subrotundo. *C. B. Pin.* 127. Hyoſeris maſcula. *Ger. Em.* 288. *Small Swines Succory or Hawkweed.* In paſcuis ſolo arenoſo. *In* Tuddington-field *near* Hampton-Court *plentifully.* Maio floret.

Smyrnium olusatrum

Hipposelinum. *Ger. Em.* 1019. Hippoſelinum Theophraſti vel Smyrnium Dioſcoridis. *C. B. Pin.* 154. *Alexanders. In a Lane and ſome Fields about* Cowley *near* Uxbridge, *and about* Windſor-Caſtle *plentifully.* Maio & Junio floret.

Stellaria graminea.

Holosteum Minimum Tetrapetalon, sive Alsine Tetrapetalos Cary-

Caryophylloides. *Raii Cat. Angl.* 163. *The leaſt Stitchwort. On* Harefield *and* Uxbridge Commons *abundantly.* Aprili floret.

Salvia verbenaca

Horminum Sylvestre. *Ger. Em.* 771. ſylveſtre Lavendulæ flore. *C. B. Pin.* 239. *Wild Clary.* In glareoſis & ſterilioribus frequens. Junio floret.

Hyacinthus non scriptus.

Hyacinthus Anglicus. *Ger. Em.* 111. oblongo flore cæruleus major. *C. B. Pin.* 43. *Engliſh Hyacinth or Hare-bells.* In ſylvis & dumetis paſſim. Invenitur flore albo & cinericeo, *as in the* Old Park, *and in a Meadow near Sir* George Cooke's *Houſe.* Martio & Aprili floret.

Hyoscyamus niger.

Hyoscyamus Vulgaris vel Niger. *C. B. Pin.* 169. niger. *Ger. Em.* 353. *Black Hen-bane.* In ſterilioribus & locis ruderatis ubique. Junio floret.

Hypericum hirsutum.

Hypericum Androsæmum Dictum. *J. B. Raii Syn. Ed.* III. 343. Androſæmon hirſutum. *C.B. Pin.* 280. *Tutſan St. John's-Wort.* In dumetis frequens. Junio & Julio floret.

Hypericum androsæmum.

HYPERICUM MAXIMUM ANDROSÆMUM VULGARE DICTUM. *Raii Syn. Ed.* III. 343. Clymenon Italorum. *Ger. Em.* 543. *Tutſan, or Park-leaves.* In ſylvis & vepretis ſed rariùs. *In a Thicket near* Harefield-Church, *alſo near* Bacher-Heath. Julio floret.

Hypericum humifusum

HYPERICUM MINUS SUPINUM, VEL SUPINUM GLABRUM. *C. B. Pin.* 279. ſupinum glabrum. *Ger. Em.* 541. *The leaſt trailing St. John's-wort.* In Ericet's & locis ſterilioribus frequens. Junio & Julio floret.

Hypericum pulchrum.

HYPERICUM PULCHRUM TRAGI. *Ger. Em.* 540. minus erectum. *C. B Pin.* 279. *Small upright St. John's-wort. In the* Old Park *and other Woods near* Harefield *plentifully.* Junio & Julio floret.

Hypericum quadrangulum.

HYPERICUM ASCYRON DICTUM CAULE QUADRANGULO. *J. B. Raii Syn. Ed.* III. 344. 7. Aſcyron. *Ger. Em.* 542. *St. Peter's-wort.* In paluſtribus & ad rivos frequens. Junio floret.

Hypericum elodes.

HYPERICUM, ASCYRUM SUPINUM VILLOSUM PALUSTRE DICTUM. *C. B.*

Pin.

Pin. 280. Aſcyron ſupinum ἑλώδης Cluſii. *Ger. Em.* 542. *Marſh St. Peter's-wort with hoary Leaves.* In paluſtribus, ſed non admodùm frequens. *In the Bogs on* Iver Heath *near* Uxbridge *plentifully.* Julio floret.

I.

Centaurea scabiosa

JACEA MAJOR. *Ger. Em.* 727. Scabioſa major ſquamatis capitulis. *C. B. Pin.* 269. *Great Knapweed, or Matfellon.* Inter ſegetes paſſim. Junio floret. Variat flore albo.

Centaurea jacea

JACEA NIGRA. *Ger. Em.* 727. nigra pratenſis latifolia. *C. B. Pin.* 271. *Knapweed, or Matfellon.* In paſcuis nimis frequens. Julio floret.

Senecio paludosus

JACOBÆA LATIFOLIA. *Ger. Em.* 280. Alpina laciniata flore Bupthalmi. *C.B.Pin.* 131. *Broad-leav'd Marſh or Water Ragwort.* In paluſtribus & aquoſis paſſim. Julio floret.

Senecio erucifolius

JACOBÆA SENECIONIS FOLIO INCANO PERENNIS. *Raii Syn. Ed.* II. 82. 2. *Hoary perennial Rag-wort with Ground-*

ſel Leaves. In paſcuis & inter vepres frequens. Julio & Auguſto floret.

Senecio Jacobæa

Jacobæa Vulgaris. *Ger. Em.* 280. vulgaris laciniata. *C. B. Pin.* 131. *Common Rag-wort or Seggrum.* Ad vias & in locis incultis paſſim. Junio floret.

Iris pseudo-acorus

Iris Paluſtris Lutea. *Ger. Em.* 50. Acorus adulterinus. *C. B. Pin.* 34. *Yellow Water-Flag, or Fleur-de-luce.* In foſſis paluſtribus & ad rivos paſſim. Maio floret. Variat flore albo.

Juncus Aquaticus Maximus. *Ger. Em.* 35. maximus ſeu Scirpus major. *C. B. Pin.* 12. *Great Water-Ruſh, or Bull-Ruſh.* In rivulis paſſim.

Juncus Aquaticus Minor Capitulis Equiſeti. *Ger. Em.* 34. & *Append.* 1630. capitulis Equiſeti major. *C. B. Pin.* 12. *Club-Ruſh, or Aglet-headed Ruſh.* In rivulis paſſim & copioſè. Per totam ferè æſtatem floret.

Juncus Durus Vulgaris. *Raii Syn. Ed.* III. 432. 3. acutus paniculâ ſparſâ. *C. B. Pin.* 11. *Common hard Ruſh.* In paſcuis & ad vias præſertim locis humidioribus paſſim.

Jun-

JUNCUS LÆVIS PANICULA SPARSA MAJOR. *C. B. Pin.* 12. lævis. *Ger. Em.* 39. *Common ſoft Ruſh.* In locis humidis & juxta aquas frequentiſſimè.

JUNCO AFFINIS, PANICULA LAXA, SEU LONGIORIBUS PEDICULIS INSIDENTE. *Scheuchzer. Agroſt.* 350. Juncus montanus paluſtris. *Raii Syn. Ed.* II. 272. 6. *Moſs-Ruſh or Gooſe-Corn.* In paluſtribus ſolo præſertim ſpongioſo. *On* Harefield - Common *abundantly.* Sub finem Maii paniculam explicat.

JUNCUS FOLIIS ARTICULOSIS FLORIBUS UMBELLATIS. *Inſt. R. H.* 247. Gramen junceum folio articulato aquaticum. *C. B. Pin.* 5. *Prod.* 12. *The leſſer Ruſh-Graſs with jointed Leaves and triangular Seed-Veſſels.* In paluſtribus paſſim. Autumno floret.

JUNCELLUS OMNIUM MINIMUS. CHAMÆSHÆNOS. *Lobel. Adv.* 44. Gramen junceum minimum capitulo ſquamoſo. *C. B. Pin.* 6. *Prod.* 13. *The leaſt Ruſh of all. By the Side of the Canal in Sir* George Cooke'*s Garden, but not plentifully. On* Harefield-

Harefield-Moor *abundantly.* Junio & Julio ſpicam profert.

Juniperus. *Ger. Em.* 1372. vulgaris fruticoſa. *C. B. Pin.* 488. *The Juniper Tree. On* Harefield-Common *abundantly.* Maio floret, & Autumno baccas perficit.

L.

Valeriana locusta.

Lactuca Agnina. *Ger. Em.* 310. Valeriana campeſtris inodora major. *C. B. Pin.* 165. *Lambs-Lettuce or Corn-Sallet.* Inter ſegetes paſſim. Maio floret. Invenitur foliis ſerratis ſed rariùs.

Lactuca Sylvestris Major Opii Odore. *Ger. Em.* 309. ſylveſtris odore viroſo. *C. B. Pin.* 123. *The greater ſtrong-ſcented wild Lettuce.* Ad ſepes & in aggeribus foſſarum. Julio floret.

Lactuca Sylvestris Costa Spinosa. *C. B. Pin.* 123. ſylveſtris foliis diſſectis. *Ger. Em.* 309. *Milder-ſcented cut-leav'd wild Lettuce.* Ad agrorum margines, præſertim locis ſaxoſis. Julio & Auguſto floret.

Lamium

Lamium album.

LAMIUM ALBUM, *Ger. Em.* 702. album non fœtens, folio oblongo, *C. B. Pin.* 231. *White Archangel, or dead Nettle.* Ad ſepes paſſim. Vere & æſtate floret.

Galeopsis galeobdolon.

LAMIUM LUTEUM. *Ger. Em.* 702. folio oblongo luteum. *C. B. Pin.* 231. *Yellow Archangel.* In ſylvis umbroſis & dumetis frequens. Aprili floret.

Lamium amplexicaule.

LAMIUM FOLIO CAULEM AMBIENTE MAJUS ET MINUS. *C. B. Pin.* 231. Alſine hederula altera. *Ger. Em.* 616. *Great Hen-bit.* In arvis & hortis ſatis frequens. Vere floret.

LAMIUM CANNABINO FOLIO VULGARE. *Raii Syn. Ed.* III. 240. 7. Cannabis ſpuria. *Ger. Em.* 709. *Nettle-Hemp, or Hemp-leav'd dead Nettle.* In arvis inter ſata paſſim provenit. Julio floret.

Lamium rubrum.

LAMIUM RUBRUM. *Ger. Em.* 702. purpureum fœtidum folio ſubrotundo, ſive Galeopſis Dioſcoridis. *C. B. Pin.* 230. *Red Archangel.* Vere & per totam æſtatem floret in hortis & areis ubique.

LAMP-

Lapsana vulgaris

LAMPSANA. *Ger. Em.* 255. Soncho affinis Lampſana domeſtica. *C. B. Pin.* 124. *Nipple-wort.* In hortis & inter ſata. Maio floret.

LAPATHUM AQUATICUM FOLIO CUBITALI. *C. B. Pin.* 116. Hydrolapathum magnum. *Ger. Em.* 389. *Great Water-Dock.* In aquoſis paſſim. Julio & Auguſto floret.

LAPATHUM ACUTUM. *Ger. Em.* 388. folio acuto, plano. *C. B Pin.* 115. *Sharp pointed Dock.* Locis aquoſis & incultis frequens. Junio & Julio floret.

Rumex crispus.

LAPATHUM FOLIO ACUTO CRISPO. *C. B. Pin.* 115. acuti varietas folio criſpo. *Ger. Em.* 387. *Sharp-pointed Dock with curled Leaves.* Locis incultis frequens reperitur. Junio & Julio floret.

Rumex sanguineus.

LAPATHUM FOLIO ACUTO RUBENTE. *C.B. Pin.* 115. ſativum ſanguineum. *Ger. Em.* 390. *Blood-wort. In an Orchard by the Road's Side in the Lane leading from* Harefield *to* Riſlip. Autumno floret.

LATHY-

Lathyrus pratenſis.

LATHYRUS SYLVESTRIS FLORE LUTEO. *Ger. Em.* 1231. ſylveſtris luteus foliis Viciæ. *C. B. Pin.* 344. *Tare Everlaſting.* In arvis inter ſata & in dumetis paſſim. Junio floret.

Daphne laureola.

LAUREOLA. *Ger. Em.* 1404. ſemper virens flore viridi, quibuſdam Laureola mas. *C. B. Pin.* 462. *Spurge Laurel.* In ſylvis præſertim umbroſis. *In the little Grove near* Breakſpears *plentifully.* Januario & Februario floret.

Cheiranthus cheiri

LEUCOIUM LUTEUM VULGARE. *C. B. Pin.* 202. Keiri ſive Leucoium vulgare luteum. *Park.* 625. *Wall-Flower.* In muris antiquis & tectis. Per totum ferè annum floret.

LICHEN PETRÆUS LATIFOLIUS, SIVE HEPATICA FONTANA. *C. B. Pin.* 362. 1. Hepatica terreſtris. *Ger. Em.* 1565. *Common Ground Liver-wort.* In humidis umbroſis & ad fluviorum ripas frequens. Primo vere floret.

LICHEN PETRÆUS STELLATUS. *C. B. Pin.* 362. 2. item Lichen petræus umbel-

umbellatus. *Ibid.* N° 3. Hepatica ſtellata & umbellata. *Ger. Em.* 1565. *Star and round-headed Liver-wort. In the ſhady Walks of Sir* George Cooke'*s Garden abundantly.* Julio & Auguſto floret.

Lichen caninus

LICHEN CINEREUS TERRESTRIS. *Raii Cat. Angl.* 185. Lichenoides peltatum terreſtre cinereum majus, foliis diviſis. *Cat. Giſſ.* 208. *Aſh-colour'd Ground Liver-wort. On all the Commons near* Harefield *abundantly.*

LICHENASTRUM CAPITULIS ROTUNDIS E FOLIORUM MEDIO ENASCENTIBUS. *Raii Syn. Ed.* III. 110. Lichen petræus cauliculo calceato. *C. B. Pin.* 362. 6. *Small Liver-wort with crumpled Leaves. In the Brook in* Gutter's-Dean Wood *near* Harefield Common, *plentifully.* Aprili menſe hoc anno (1735) cum capitulis floriferis inveni.

Ligustrum vulgare

LIGUSTRUM. *Ger. Em.* 1394. Germanicum. *C. B. Pin.* 475. *Privet, or Prim.* In ſepibus frequens. Maio floret.

LILIUM

Convallaria majalis

Lilium Convallium. *Ger. Em.* 410. Convallium album. *C. B. Pin.* 304. *Lilly-Convally, or May-Lilly. Near* Caſhioberry *plentifully.* Maio floret.

Antirrhinum Linaria.

Linaria Lutea Vulgaris. *Ger. Em.* 550. vulgaris lutea flore majore. *C. B. Pin.* 212. *Common yellow Toad-Flax.* Ad agrorum margines frequens. Junio floret.

Linaria Antirrhinum Dicta. *Raii Syn. Ed.* III. *283. 7. Antirrhinum minimum repens. *Ger. Em.* 549. *The leaſt Calves-Snout, or Snap-Dragon. Amongſt the Corn and in Gardens very common.* Junio floret.

Linum catharticum.

Linum Sylvestre Catharticum. *Ger. Em.* 560. pratenſe floſculis exiguis. *C. B. Pin.* 214. *Purging or wild Dwarf-Flax, or Mill-Mountain.* In paſcuis montoſis & inter ſegetes frequens. Maio floret.

Lithospermum Arvense Radice Rubente. *C. B. Pin.* 258. Bugloſſum

arvenſe annuum Lithoſpermi folio. *Inſt. R. H.* 134. *Baſtard Alkanet.* Inter ſegetes paſſim & copioſè. Maio & Junio floret.

Lithospermum officinale

LITHOSPERMUM MAJUS. *Ger. Em.* 609. majus erectum. *C. B. Pin.* 258. *Gromill, or Graymill.* In paſcuis ſiccioribus. Maio floret.

LONCHITIS ASPERA. *Ger. Em.* 1140. aſpera minor. *C. B. Pin.* 359. *Rough Spleen-wort.* *On* Harefield-Common *abundantly.*

Humulus Lupulus.

LUPULUS MAS ET FÆMINA. *C. B. Pin.* 298. Salictarius. *Ger. Em.* 885. *Hops.* In ſepibus præſertim humidioribus. Julio floret.

Reseda Luteola.

LUTEOLA HERBA SALICIS FOLIO. *C. B. Pin.* 100 Luteola. *Ger. Em.* 494. *Wild-Woad, Yellow-Weed, or Dyers-Weed.* Locis ſterilioribus & incultis frequens reperitur. Junio & Julio floret.

Cucubalus behen.

LYCHNIS SYLVESTRIS, QUÆ BEN ALBUM VULGÒ. *C. B. Pin.* 205. Behen album.

album. *Ger. Em.* 678. *Bladder Campion.* Inter ſegetes paſſim. Maio floret. Invenitur foliis hirſutis ſed rariùs.

Lychnis dioica alba.

Lychnis Sylvestris Alba Simplex. *C. B. Pin.* 204. albo flore. *Ger. Em.* 468. *White wild Campion.* Ad ſepes paſſim. Maio floret.

Lychnis dioica rubra.

Lychnis Sylvestris Rubello Flore. *Ger. Em.* 469. ſylveſtris flore rubro. *Park.* 631. *Red-flower'd wild Campion.* In ſylvis humidis & ad foſſas paſſim. Maio & Junio floret.

Agrostemma githago.

Lychnis Segetum Major. *C. B. Pin.* 204. Pſeudo-melanthium. *Ger. Em.* 1087. *Cockle.* Inter ſegetes nimis frequens. Maio & Junio floret.

Scutellaria major.

Lysimachia Galericulata. *Ger. Em.* 477. cærulea galericulata ſeu Gratiola cærulea. *C. B. Pin.* 246. *Hooded Willow-Herb, or Looſe-Strife.* In locis humidis & aquoſis frequens. Junio & Julio floret.

Scutellaria minor.

Lysimachia Galericulata Minor. *Raii Cat. Angl.* 194. latifolia ſeu noſtras minor. *Park.* 221. *The leſſer hooded Looſe-Strife. In the moiſt Parts of* Harefield-Common. Julio & Auguſto floret.

Lysimachia vulgaris

Lysimachia Lutea. *Ger. Em.* 474. lutea major, quæ Dioſcoridis. *C. B. Pin.* 245. *Yellow Willow-Herb, or Looſe-Strife. In the Meadows near* Uxbridge-Moor *very frequent.* Junio floret.

Lythrum salicaria.

Lysimachia Purpurea Spicata. *Ger. Em.* 476. ſpicata purpurea, fortè Plinii. *C. B. Pin.* 246. *Purple-ſpik'd Willow-Herb, or Looſe-Strife.* In paluſtribus paſſim. Julio & Auguſto floret.

Lysimachia Siliquosa Hirsuta Magno Flore. *C. B. Pin.* 245. ſiliquoſa. *Ger. Em.* 476. 6. *Great hairy-codded Looſe-Strife, called alſo Codlings and Cream.* Ad margines foſſarum, & rivulorum ripas paſſim occurrit. Julio floret.

Lysi-

Lysimachia Siliquosa Hirsuta Parvo Flore. *C. B. Pin.* 245. ſylveſtris ſiliquoſa hirſuta. *Park.* 549. *The leſſer hairy-codded Looſe-Strife with ſmall Flowers.* Locis humidis & aquoſis frequens oritur. Julio floret.

Lysimachia Siliquosa Glabra Major. *C. B. Pin.* 245. campeſtris. *Ger. Em.* 478. *The greater ſmooth-leav'd Willow-Herb, or Looſe-Strife. Common in moiſt and ſhady Places.* Junio & Julio floret.

Lysimachia Chamænerion Dicta, Latifolia. *C. B. Pin.* 245. Chamænerion. *Ger. Em.* 477. *Roſebay Willow-Herb.. By the Side of a Wood about the Mid-way between* Beaconsfield *and* Uxbridge. Julio & Auguſto floret.

M.

Malva sylvestris.

Malva Sylvestris. *Ger. Em.* 930. ſylveſtris folio ſinuato. *C. B. Pin.* 314. *Common Mallow.* Locis ruderatis

& incultis paſſim. Per totam æſtatem floret.

Malva rotundifolia.

MALVA SYLVESTRIS PUMILA. *Ger. Em.* 930. ſylveſtris folio rotundo. *C. B. Pin.* 314. *Small wild Mallow, or Dwarf Mallow.* Ad vias & ſemitas. Æſtate floret.

Pyrus malus.

MALUS SYLVESTRIS. *Ger. Em.* 1461. *Park.* 1502. *The Crab-Tree, or Wilding.* In ſepibus frequens. Maio floret.

Marrubium album.

MARRUBIUM ALBUM. *Ger. Em.* 693. album vulgare. *C. B. Pin.* 230. *White Hore-hound. On* Uxbridge-Moor *abundantly.* Julio floret.

Lycopus europæus.

MARRUBIUM AQUATICUM. *Ger. Em.* 700. paluſtre glabrum. *C. B. Pin.* 230. *Water Hore-hound.* In aquoſis paſſim. Julio floret.

Ballota nigra.

MARRUBIUM NIGRUM. *Ger. Em.* 701. nigrum fœtidum, Ballote Dioſcoridis. *C. B. Pin.* 230. *Black ſtinking Hore-hound.* Ad ſepes paſſim. Per totam ferè æſtatem floret.

MELAM-

Melampyrum sylvaticum.

MELAMPYRUM LUTEUM LATIFOLIUM. *C. B. Pin.* 234. Cratæogonum vulgare. *Park.* 1326. *Common wild Cow-Wheat.* In ſylvis copioſè. Maio floret.

Trifolium Mel: officinalis.

MELILOTUS GERMANICA. *Ger. Em.* 1205. vulgaris. *Park.* 719. *Melilot.* In arvis inter ſegetes. Junio floret.

MENTHA SEU CALAMINTHA AQUATICA. *Ger. Em.* 684. Calamintha arvenſis verticillata. *C. B. Pin.* 229. *Water Mint with whorl'd Coronets.* In locis humidis admodùm frequens. *In the Gardens at* Breakſpears *abundantly.* Julio & Auguſto floret.

MENTHA AQUATICA SIVE SISYMBRIUM. *Ger. Em.* 684. rotundifolia paluſtris ſive aquatica major. *C. B. Pin.* 227. *Water Mint.* In paluſtribus & ad rivos paſſim. Junio & Julio floret.

MENTHA AQUATICA HIRSUTA, SIVE SISYMBRIUM HIRSUTUM. *Chabr.* 415. Siſymbrium hirſutum. *Raii Syn. Ed.* II. *Append.* 341. *Hairy Water-Mint.* Cum priore nec minùs frequens.

MENTHA

Mentha Crispa Verticillata. *C. B. Pin.* 227. criſpa. *Park.* 31. *Curl'd Mint. By a Pond's Side in the Lane juſt below* Breakſpears *plentifully.* Auguſto florentem vidi.

Mentha Sylvestris Rotundiore Folio. *C. B. Pin.* 227. Menthaſtrum. *Ger. Em.* 683. *Horſe-Mint, or round-leav'd wild Mint. In* Harefield Church-Yard *plentifully.* Julio & Auguſto floret.

Mentha Cataria Vulgaris & Major. *C. B. Pin.* 228. felina ſive Cataria. *Ger. Em.* 782. *Nep, or Cat-Mint. In a Meadow near* Harefield-Mill, *alſo about* More-Hall, *and by the Road's Side, between* St. Giles's *and* St. Peter's Chalfont *plentifully.* Auguſto floret.

Hottonia palustris.

Millefolium Aquaticum seu Viola Aquatica Caule Nudo. *C. B. Pin.* 141. Viola paluſtris. *Ger. Em.* 826. *Water-Violet.* In aquis ſtagnantibus aut tardiùs fluentibus frequens. Julio & Auguſto floret.

Achillea millefolium.

MILLEFOLIUM VULGARE ALBUM. *C. B. Pin.* 140. terreſtre vulgare. *Ger. Em.* 1072. *Common Yarrow, or Milfoil.* In paſcuis ubique. Maio floret. Variat flore purpureo.

MILLEGRANA MINIMA. *Ger. Em.* 569. Polygonum minimum ſeu Millegrana minima. *C. B. Pin.* 282. *The leaſt Rupture-wort, or All-ſeed. On* Harefield Common *and* Hillingdon-Heath. Auguſto floret.

Galium mollugo.

MOLLUGO VULGATIOR. *Park.* 565. Rubia ſylveſtris lævis. *C. B. Pin.* 333. *Great Baſtard Madder.* Ad ſepes paſſim. Julio floret.

MUSCUS CORNICULATUS. *Ger. Em.* 1560. *Park.* 1308. *Horned Moſs.* In Ericetis.

MUSCUS PYXOIDES SIVE PYXIDATUS. *Ger. Em.* 1560. *Park.* 1308. *Cup, or Chalice Moſs. On* Harefield-Common *plentifully.*

MYO-

Myoſotis ſcorpioides.

Myosotis Scorpioides Arvensis Hirsuta. *Ger. Em.* 337. Echium Scorpioides arvenſe. *C. B. Pin.* 254. *Mouſe-ear Scorpion-Graſs.* In arvis præſertim ſterilioribus frequens. Vere floret. Variat flore albo.

Myoſotis ſcorpioides

Myosotis Scorpioides Latifolia Hirsuta. *Merr. Pin.* 60. *Broad-leav'd Mouſe-ear Scorpion-Graſs. In* Gutter's-Dean-Wood *and the* Old-Park *ſparingly.* Vere floret.

Myoſotis ſcorpioides.

Myosotis Scorpioides Minor Flosculis Luteis. *Park.* 692. Scorpioides hirta minor. *Merr. Pin.* 82. *Small yellow-flower'd Scorpion-Graſs.* In ſiccioribus & locis arenoſis frequens. Aprili floret.

Myoſotis ſcorpioides

Myosotis Scorpioides Palustris. *Ger. Em.* 337. Echium Scorpioides paluſtre. *C. B. Pin.* 254. *Water Scorpion-Graſs.* In paluſtribus & aquoſis valdè frequens. Aprili floret.

Myr-

Scandix anthriscus.

Myrrhis Sylvestris Seminibus Asperis. *C. B. Pin.* 160. ſylveſtris Neapolitana atque etiam Anglicana. *Park.* 935. *Small Hemlock Chervil with rough Seeds.* Ad ſemitas & in locis ruderatis paſſim. Maio & Junio floret.

Chaerophyllum sylvestre.

Myrrhis Sylvestris Seminibus Lævibus. *C. B. Pin.* 160. Cicutaria alba Lugdunenſis. *Ger. Em.* 1038. *Wild Cicely, or Cow-weed.* Ad ſepes frequens. Maio & Junio floret.

N.

Brassica napus.

Napus Sylvestris. *C. B. Pin.* 95. Bunias ſylveſtris Lobelii. *Ger. Em.* 235. *Wild Navew.* Ad margines agrorum & inter ſegetes frequens. Junio & Julio floret.

Narcissus pseudo-narcissus.

Narcissus Sylvestris Pallidus Calice Luteo. *C. B. Pin.* 52. Narciſſus ſive Pſeudo-Narciſſus Anglicus. *Ger. Em.* 138. *Common Yellow Daffodil. In the Orchard at* Breakſpears *plentifully.* Martio & Aprili floret.

Narcissus poeticus

NARCISSUS MEDIO LUTEUS. *Ger. Em.* 124. pallidus circulo luteo. *C. B. Pin.* 50. *Common White Daffodil, or Primroſe peerleſs. In ſeveral Places near* Harefield. Aprili floret.

NASTURTIUM PETRÆUM. *Ger. Em.* 251. petræum foliis Burſæ Paſtoris. *C. B. Pin.* 104. *Stone Creſſes.* Locis arenoſis frequens invenitur. *In* Tuddington Field *abundantly.* Junio floret.

Sisymbrium nasturtium.

NASTURTIUM AQUATICUM SUPINUM. *C. B. Pin.* 104. aquaticum ſive Cratevæ Sium. *Ger. Em.* 257. *Water-Creſſes.* Locis aquoſis & ad rivulos ubique frequens. Junio & Julio floret.

Sisymbrium sophia.

NASTURTIUM SYLVESTRE TENUISSIME DIVISUM. *C. B. Pin.* 105. Sophia Chirurgorum. *Ger. Em.* 1068. *Flix-weed.* In fimetis & locis ruderatis haud infrequens. Junio floret.

Cochlearia coronopus.

NASTURTIUM SUPINUM CAPSULIS VERRUCOSIS. *Raii Meth. Em.* 98. Coronopus Ruellii. *Ger. Em.* 427. *Swines Creſſes.* Ad vias paſſim. Junio floret.

NUMMU-

Lysimachia nummularia.

NUMMULARIA. *Ger. Em.* 630. major lutea. *C. B. Pin.* 309. *Money-wort, or Herb Two-pence.* In umbroſis humidis & paluſtribus copioſè. Maio floret.

Lysimachia tenella.

NUMMULARIA MINOR FLORE PURPURASCENTE. *Ger. Em.* 630. minor purpuraſcente flore. *C. B. Pin.* 310. *Prodr.* 136. *Purple-flower'd Money-wort. On* Harefield-Moor *abundantly*. Junio & Julio floret.

Nymphæa alba.

NYMPHÆA ALBA. *Ger. Em.* 819. major. *C. B. Pin.* 193. *White Water-Lilly*. In fluviis reperitur ſed rariùs. *In* Windſor-Lake *on* Uxbridge-Moor *plentifully*. Junio floret.

Hydrocharis Morsus ranæ

NYMPHÆA ALBA MINIMA. *C. B. Pin.* 193. Morſus Ranæ. *Ger. Em.* 818. *The leaſt white Water-Lilly, or Frog-bit.* In aquis leniter fluentibus & foſſis aquoſis frequens. Julio & Auguſto floret.

Nymphæa lutea.

NYMPHÆA LUTEA. *Ger. Em.* 819. major. *C. B. Pin.* 193. *Yellow Water-Lilly. On* Uxbridge-Moor *where the White grows, alſo in* Harefield-River *near the Mill, and elſewhere plentifully.* Junio floret.

O

Oenanthe fistuloſa.

OENANTHE AQUATICA. *C. B. Pin.* 162. Filipendula aquatica. *Ger. Em.* 1060. *Water Drop-wort.* In pratis humidis & ad fluviorum ripas. Junio floret.

Oenanthe fistuloſa.

OENANTHE AQUATICA TRIFLORA, CAULIBUS FISTULOSIS. *H. Oxon. S.* 9. *T.* 7. *f.* 8. aquatica minor. 1233. *The leſſer Water Drop-wort. In the River near* Harefield-Mill. Junio & Julio floret.

Hedysarum onobrychis

ONOBRYCHIS SIVE CAPUT GALLINACEUM. *Ger. Em.* 1243. foliis Viciæ fructu echinato major. *C. B. Pin.* 350. *Medick-Vetchling, or Cock's-Head. In a Meadow near* Harefield Chalk-Pit *plentifully.* Maio & Junio floret.

Ophioglossum 327. vulgare

OPHIOGLOSSUM. *Ger. Em.* 404. vulgatum. *C. B. Pin.* 354. *Adder's-Tongue. In all the moiſt Meadows near* Harefield *abundantly.* Maio menſe linguam profert. Variat magnitudine, & linguâ duplici & nonnunquam triplici invenitur, ſed rariùs.

ORCHIS

Ophrys nidus avis.

ORCHIS ABORTIVA FUSCA. *C. B. Pin.* 86. Satyrium abortivum ſive nidus avis. *Ger. Em.* 228. *Miſ-ſhapen Orchis, or Bird's-Neſt. In* White-Heath-Wood *on* Harefield-Common, *but very rarely.* Maio menſe hoc Anno (1735) cum floribus inveni.

ORCHIS LATIFOLIA HIANTE CUCULLO MAJOR. *Inſt. R. H.* 432. Cynoſorchis major altera. *Ger. Em.* 205. *The Man Orchis. In the* Chalk-Pit *near the* Paper-Mill *at* Harefield *plentifully.* Maio & Junio floret.

ORCHIS MAGNA LATIS FOLIIS GALEA FUSCA VEL NIGRICANTE. *Chabr.* 248. *Broad-leav'd Man Orchis. In the ſame Pit.*

Orchis mascula

ORCHIS MORIO MAS FOLIIS MACULATIS. *C. B. Pin.* 81. Cynoſorchis morio mas. *Ger. Em.* 208. *The Male Fool-Stones.* In pratis & paſcuis frequens. Circa finem Aprilis floret. Flore carneo circa *Harefield* pluriès obſervavi.

Orchis morio.

Orchis Morio Fæmina. *C. B. Pin.* 82. Cynoſorchis morio fæmina. *Ger. Em.* 208. *The Female Fool-Stones.* In paſcuis copioſè præſertim humidioribus. Maio floret. Plurimùm variat floris colore, & circa *Harefield* flore albo frequens reperitur.

Orchis Myodes Minor. *Park.* 1352. muſcæ corpus referens minor, vel galeâ & alis herbidis. *C. B Pin.* 83. *The Common Fly-Orchis. In* Harefield Chalk-Pit, *particularly that Side next the Lane.* Junio floret.

Orchis latifolia.

Orchis Palmata Pratensis Latifolia, Longis Calcaribus. *C. B. Pin.* 85. Palma Chriſti mas. *Ger. Em.* 220. *The Male-handed Orchis, or Male Satyrion Royal.* In pratis humidis copioſè. Maio floret. Flore carneo reperitur ſed minùs frequens.

Orchis maculata.

Orchis Palmata Pratensis Maculata. *C. B. Pin.* 85. Palma Chriſti fæmina. *Ger. Em.* 220. *The Female-handed Orchis, or Female Satyrion Royal.* In ſylvis & pratis humidis, nec minùs in ſte-

rilioribus

rilioribus oritur. *In* Harefield Chalk-Pit *plentifully.* Junio floret.

Orchis conopsea

Orchis Palmata Minor Calcaribus Oblongis. *C. B. Pin.* 85. Serapias minor nitente flore. *Ger. Em.* 222. *Red-handed Orchis, with long Spurs. In* Harefield Chalk-Pit. Junio floret. *It is found in the ſame Pit with a white Flower, but very ſparingly.*

Orchis ustulata.

Orchis sive Cynoſorchis Minor Pannonica. *Ger. Em.* 207. Cynoſorchis militaris pratenſis humilior. *C. B. Pin.* 81. *Little Purple-flower'd Orchis. In the* Chalk-Pit *above-mention'd ſparingly,* Maio floret.

Orchis pyramidalis.

Orchis Purpurea Spica Congesta Pyramidali. *Raii Syn. Ed.* II. 236. *Purple late-flowering Orchis. In the ſame Pit plentifully.* Junio floret.

Ophrys monorchis.

Orchis Odorata Moschata sive Monorchis. *C. B. Pin.* 84. Puſilla odorata. *Park.* 1354. *The yellow ſweet, or Musk-Orchis. In a* Chalk-Pit *near the Duke of* Portland'*s at* Gerard's-Croſs *plentifully.* Junio floret.

Orchis bifolia.

Orchis Hermaphroditica. *Ger. Em.* 211. bifolia altera. *C. B. Pin.* 82. *Butter-fly Satyrion.* In ſylvis & dumetis haud infrequens. Maio floret.

Orchis Fucum Referens Major; Foliolis Superioribus Candidis et Purpurascentibus. *C.B.Pin.* 83. Teſticulus vulpinus 2. ſphegodes. *Ger. Em.* 212. *The common Humble-bee Satyrion, or Bee-flower. In* Harefield Chalk-Pit *ſparingly, in the* Chalk-Pit *at* Gerard's-Croſs *plentifully.* Maio & Junio floret.

Origanum vulgare

Origanum Sylvestre, Cunila Bubula Plinii. *C. B. Pin.* 223. Anglicum. *Ger. Em.* 666. *Wild Marjoram.* Ad ſepes & in dumetis frequens. Junio & Julio floret.

Ornithopodium Radice Nodosa. *Park.* 1093. radice tuberculis nodoſâ. *C. B. Pin.* 350. *Bird's-Foot.* In locis ſiccioribus & arenoſis frequens. Maio floret.

Orobanche major.

Orobanche Major Garyophyllum Olens. *C. B. Pin.* 87. Rapum Geniſtæ ſive Orobanche. *Ger. Em.* 1311. *Broom-Rape. Amongſt the Broom at the*

Entrance

Entrance of Iver-Heath *plentifully.* Maio floret.

Crataegus oxiacantha.

Oxyacanthus. *Ger. Em.* 1327. Meſpilus Apii folio ſylveſtris ſpinoſa, ſive Oxyacantha. *C. B. Pin.* 454. *The White-Thorn, or Haw-Thorn.* In ſepibus ubique. Maio floret.

P.

Papaver Rhœas

Papaver Rhæas. *Ger. Em.* 371. erraticum rhæas ſive ſylveſtre. *Park.* 367. *Red Poppy, or Corn Roſe.* Inter ſegetes paſſim. Maio & Junio floret.

Papaver argemone

Papaver Laciniato Folio Capitulo Hispido Longiore. *Raii Syn. Ed.* II. 180. Argemone capitulo longiore. *C. B. Pin.* 172. *Long rough-headed Baſtard-Poppy.*

Papaver hybridum.

Papaver Laciniato Folio Capitulo Hispido Rotundiore. *Raii Syn. Ed.* II. 180. Argemone capitulo breviore. *C. B. Pin.* 172. *Round rough-headed Baſtard-Poppy. Theſe two laſt frequent among Corn.* Junio floret.

Parie-

Parietaria officinalis.

PARIETARIA. *Ger. Em.* 331. Officinarum & Dioſcoridis. *C. B. Pin.* 121. *Pellitory of the Wall.* In muris antiquis & locis ruderatis frequens. Julio floret.

Parnassia palustris.

PARNASSIA VULGARIS ET PALUSTRIS. *Inſt. R. H.* 246. Gramen Parnaſſi flore albo ſimplici. *C. B. Pin.* 309. *Graſs of Parnaſſus. In the moiſt Meadows near* Harefield-Mill, *particularly in a Bog in the Meadow next Mr.* Aſhby's Fiſhing-Houſe. Auguſto floret.

Draba verna

PARONYCHIA VULGARIS. *Ger. Em.* 624. Burſa Paſtoris minor loculo oblongo. *C. B. Pin.* 108. *Common Whitlow-Graſs.* In ſiccioribus paſſim. Martio floret.

Saxifraga tridactylites

PARONYCHIA RUTACEO FOLIO. *Ger. Em.* 624. Sedum tridaclytilites tectorum. *C. B. Pin.* 285. *Rue-leav'd Whitlow-Graſs.* In muris & tectis paſſim. Martio & Aprili floret.

Matricaria parthenium.

PARTHENIUM SIVE MATRICARIA. *Ger. Em.* 652. Matricaria vulgaris, ſeu ſativa. *C. B. Pin.* 133. *Fever-few.* Ad

vias

vias & in locis ruderatis frequens. Junio & Julio floret.

Pastinaca sativa.

PASTINACA SYLVESTRIS LATIFOLIA. *C. B. Pin.* 155. latifolia ſylveſtris. *Ger. Em.* 1025. *Wild Parſnep. In* Harefield Chalk-Pit *abundantly.* Julio floret.

Scandix pecten Veneris.

PECTEN VENERIS SIVE SCANDIX. *Ger. Em.* 1040. Scandix ſemine roſtrato vulgaris. *C. B. Pin.* 152. *Venus-Comb, or Shepherd's-Needle, by ſome Crow-Needles.* Inter ſegetes nimis frequens. Maio floret.

Rhinanthus Crista Galli.

PEDICULARIS PRATENSIS LUTEA, VEL CRISTA GALLI. *C. B. Pin.* 163. Criſta Galli. *Ger. Em.* 1071. *Yellow-Rattle, or Cock's-Comb.* In paſcuis ubique. Maio floret.

Pedicularis sylvatica.

PEDICULARIS PRATENSIS PURPUREA. *C. B. Pin.* 163. rubra vulgaris. *Ger. Em.* 1071. *Louſe-wort, or Red-Rattle.* In Ericetis præſertim humidioribus. Maio floret.

Pedicularis palustris.

PEDICULARIS PALUSTRIS RUBRA ELATIOR. *Raii Syn. Ed.* II. 162. *Great Marſh*

Marſh Red-Rattle, or Louſe-wort. In the Meadows near Harefield-Moor *plentifully.* Maio floret. Præcedente plus duplo major eſt.

Pentaphyllum Rectum Minus. *Park.* 400. Quinquefolium Tormentillæ facie. *Ger. Em.* 988. *Tormentil Cinquefoil.* In paſcuis arenoſis ſed rariùs. *In a Field near* Harefield-Common *ſparingly.* Junio floret.

Potentilla reptans.

Pentaphyllum Vulgatissimum. *Park.* 398. Quinquefolium vulgare *Ger. Em.* 987. *Common Cinquefoil, or Five-leav'd Graſs.* Ad ſemitas paſſim & copioſè. Junio floret.

Potentilla anserina.

Pentaphylloides Argentina Dicta. *Raii Syn. Ed.* III. 256. Potentilla. *C. B. Pin.* 321. *Wild Tanſey, or Silver-weed.* Locis aquoſis ubique obvia. Junio floret.

Aphanes arvensis

Percepier Anglorum Lobelii. *Ger. Em.* 1594. Chærophyllo nonnihil ſimilis. *C. B. Pin.* 152. *Parſley-Piert, or Breakſtone.* In paſcuis ſiccioribus & arenoſis frequens. Maio floret.

Perfo-

Bupleurum rotundifolium.

Perfoliata Vulgaris. *Ger. Em.* 536. vulgatiſſima, ſive arvenſis. *C. B. Pin.* 277. *Thorow-Wax.* Inter ſegetes ſed rariùs. *I obſerv'd it this Year (1735) in a Field of Corn near* Harefield-Mill, *but not plentifully.* Junio floret.

Lonicera periclymenum

Periclymenum. *Ger. Em.* 891. non perfoliatum Germanicum. *C. B. Pin.* 302. *Common Honeyſuckle, or Woodbine.* In ſylvis & ſepibus copioſiſſimè. Maio & Junio floret.

Lonicera periclymenum

Periclymenum Foliis Quercinis. *Merr. Pin.* 92. Caprifolium non perfoliatum, foliis ſinuoſis. *Inſt. R. H.* 608. *Honeyſuckle with ſinuated Leaves. In* White-Heath-Wood *near* Harefield *plentifully.*

Polygonum persicaria

Persicaria Maculosa. *Ger. Em.* 449. mitis maculoſa & non maculoſa. *C. B. Pin.* 101. *Dead or ſpotted Arſmart.* Ad rivulos & in locis aquoſis frequens. Julio floret.

Persicaria Salicis Folio Perennis, Potamogiton Angustifo-

LIUM

LIUM DICTA. *Raii Syn. Ed.* III. 345.9. Potamogiton anguſtifolium. *Ger. Em.*821. *Perennial Willow-leav'd Arſmart, commonly call'd narrow-leav'd Pond-weed. In watery Places about* Harefield *and* Uxbridge, *but not very common.* Julio & Auguſto floret.

PERSICARIA URENS SEU HYDROPIPER. *C. B. Pin.* 101. vulgaris acris ſeu minor. *Park.* 856. *Water-Pepper, or Arſmart.* In aquoſis paſſim. Julio floret.

Tussilago petasites

PETASITES. *Ger. Em.* 814. major & vulgaris. *C. B. Pin.* 197. *Butter-Bur, or Peſtilent-Wort.* Ad fluviorum ripas & in aquoſis. *By the River's Side near* Harefield-Mill *abundantly.* Martio floret.

Asplenium scolopendrium.

PHYLLITIS, *Ger. Em.* 1138. Lingua cervina Officinarum. *C. B. Pin.* 353. *Hart's-Tongue.* In locis umbroſis & muris antiquis.

Hieracium pilosella.

PILOSELLA REPENS. *Ger. Em.* 638. major repens hirſuta. *C. B. Pin.* 262. *Common creeping Mouſe-Ear.* In paſcuis ſiccioribus & in muris frequens. Maio floret.

PILO-

Arabis thaliana.

PILOSELLA SILIQUOSA THALII. *Raii Syn. Ed.* III. 294. Burſæ Paſtoris ſimilis ſiliquoſa major & minor. *C. B. Pin.* 108. *Codded Mouſe-Ear.* In paſcuis ſiccioribus & muris paſſim. Primo vere floret.

Poterium sanguisorba.

PIMPINELLA SEPTIMA SEU SANGUISORBA MINOR HIRSUTA, ET OCTAVA SEU MINOR LÆVIS. *C. B. Pin.* 160. hortenſis. *Ger. Em.* 1045. *Small Burnet* In montoſis ſolo præſertim cretaceo. *In* Harefield Chalk-Pit, *and in the Beech Woods in the Road to* Chalfont St. Peter's *plentifully.* Junio floret.

PIMPINELLA SAXIFRAGA MINOR FOLIIS SANGUISOBRÆ. *Raii Syn. Ed.* III. 213. ſaxifraga major altera. *C. B. Pin.* 159. *The leſſer round-leav'd Burnet Saxifrage.* In paſcuis frequens ſolo præſertim ſicco aut glareoſo. Julio & Auguſto floret.

Alisma plantago.

PLANTAGO AQUATICA MAJOR. *Ger. Em.* 417. aquatica latifolia. *C. B. Pin.* 190. *Great Water-Plantain.* In aquoſis paſſim. Junio & Julio floret.

Aliſma ranunculoides.

Plantago Aquatica Humilis. *Ger Em.* 417. aquatica Anguſtifolia. *C. B. Pin.* 190. *The leſſer Water-Plantain.* Cum priore ſed minùs frequens. *On the Banks of the upper Pond near Mr.* Aſhby'*s Brick-Kiln plentifully.* Julio floret.

Plantago Aquatica Minima Clusii. *Park.* 1244. Plantaginella paluſtris. *C. B. Pin.* 190. Alſine paluſtris repens, foliis lanceolatis, floribus albis perexiguis. *Pluk. Phyt. Tab.* 74. *f.* 4. *The leaſt Water-Plantain. By the Sides of the* Warren-Pond *near* Breakſpears *plentifully, and in the Bogs on* Harefield-Common. Julio floret.

Plantago Palustris Gramineo Folio Monanthos, Parisiensis. *Inſt. R. H.* 128. Gramen junceum ſive Holoſteum minimum paluſtre, capitulis quatuor longiſſimis ſtaminibus donatis. *Raii Syn. Ed.* II. 276. 8. *In ſome of the Bogs on* Harefield-Common *abundantly.*

Plantago Incana, *Ger. Em.* 419. latifolia incana. *C. B. Pin.* 189. *Hoary Plantain, or Lamb's-Tongue.* In pratis humidi

humidis propè *Harefield* abundat. Junio floret.

Plantago major.

Plantago Latifolia Vulgaris. *Park.* 493. latifolia ſinuata. *C. B. Pin.* 189. *Great Plantain, or Way-bread.* Ad vias & ſemitas ubique. Junio floret.

Plantago lanceolata.

Plantago Quinquenervia. *Ger. Em.* 422. anguſtifolia major. *C. B. Pin.* 189. *Rib-wort.* In paſcuis paſſim & copioſè. Æſtate floret.

Plantago coronopus.

Plantago Foliis Laciniatis, Coronopus Dicta. *Raii Syn. Ed.* III. 315. Coronopus ſylveſtris hirſutior. *C. B. Pin.* 190. *Buck's-horn Plantain. On* Uxbridge Common *plentifully.* Julio floret.

Polygala vulgaris.

Polygala Repens. *Ger. Em.* 563. vulgaris. *C. B. Pin.* 215. *Milk-wort.* In paſcuis ſiccioribus frequens. Maio floret.

Polygonum Selinoides sive Knawel Germanorum. *Ger. Em.* 566. anguſtiſſimo & acuto vel gramineo folio minus repens. *C. B. Pin.* 281. *German Knot-graſs, or Knawel.* In paſcuis ſterilioribus & arenoſis frequens. Maio floret.

Polygonum aviculare.

Polygonum Mas Vulgare. *Ger. Em.* 565. latifolium. *C. B. Pin.* 281. *Common Knot-graſs.* Ad vias & ſemitas paſſim. Per totam ferè æſtatem floret.

Polypodium. *Ger. Em.* 1132. vulgare. *C. B. Pin.* 359. *Polypody.* In muris & tectis, & ad arborum truncos præſertim locis umbroſis frequens. Quercinum reliquis in medicinâ præfertur, & circa *Harefield* copioſè reperitur.

Populus tremula

Populus Lybica. *Ger. Em.* 1487. tremula. *C. B. Pin.* 429. *The Aſp, or Aſpen-Tree.* In ſylvis haud infrequens.

Populus nigra.

Populus Nigra. *Ger. Em.* 1486. *C. B. Pin.* 429. *The Black Poplar.* Ad fluvios & in aquoſis.

Potamogiton Latifolium. *Ger. Em.* 821. rotundifolium. *C. B. Pin.* 193. *Broad-leav'd Pondweed.* In aquis ſtagnantibus paſſim. Junio floret.

Potamogiton Perfoliatum. *Raii Cat. Angl.* 241. foliis latis ſplendentibus. *C. B. Pin.* 193. *Perfoliate Pondweed.* In rivulis frequens.

Pota-

Potamogiton Pennis Tenuissimis. *Pet. H. B.* 6. 6. Millefolium aquaticum pennatum minus, foliolis ſingularibus latiuſculis floſculis ſubjectis donatum. *H. Ox.* III. 622. *The leſſer-feather'd Water Milfoil. In a Gravel-Pit in a Field called* Innins, *joining to* Harefield-Common. Maio floret.

Primula veris

Primula Veris Major. *Ger. Em.* 780. Verbaſculum pratenſe odoratum. *C. B. Pin.* 241. *Paigles, or Cowſlips.* In paſcuis ubique. Aprili & Maio floret.

Primula veris β

Primula Pratensis Inodora Lutea. *Ger. Em.* 780. Verbaſculum pratenſe vel ſylvaticum inodorum. *C. B. Pin.* 241. *Great Cowſlips, or Oxſlips.* In ſylvis & ad ſepes ſæpiùs occurrit. Circa mediam Aprilis florere incipit.

Primula vulgaris.

Primula Veris Minor *Ger. Em.* 781. Verbaſculum ſylvaticum majus ſingulari flore. *C. B. Pin.* 241. *The common Primroſe.* In ſylvis & ad ſepes paſſim. Februario & Martio floret.

Pru-

Prunella vulgaris.

Prunella. *Ger. Em.* 632. Brunella major folio non diſſecto. *C. B. Pin.* 260. *Common Self-heal.* In paſcuis paſſim. Julio floret. Invenitur flore albo ſed rariùs.

Prunus Sylvestris. *Ger. Em.* 1497. *C. B. Pin.* 444. *The Sloe-Tree.* In ſepibus paſſim. Februario & Martio floret.

Achillea ptarmica

Ptarmica. *Ger. Em.* 606. Dracunculus pratenſis ſerrato folio. *C. B. Pin.* 98. *Sneeze-wort, or Baſtard Pellitory.* In paluſtribus frequens. Julio floret.

Mentha pulegium

Pulegium Regium. *Ger. Em.* 671. latifolium. *C. B. Pin.* 222. *Penny-royal, or Pudding-Graſs. On* Harefield-Common *abundantly.* Julio & Auguſto floret.

Pyrus Sylvestris. *Ger. Em.* 1459. *C. B. Pin.* 439. *The wild Pear-Tree.* In ſepibus frequens. Aprili floret.

Q.

Quercus robur.

Quercus Vulgaris. *Ger. Em.* 1339. cum longo pediculo. *C. B. Pin.* 420. *The common Oak-Tree.* In ſylvis & ſepibus paſſim. Vere floret.

R.

R.

Adoxa moschatellina.

RADIX CAVA MINIMA FLORE VIRIDI. *Ger. Em.* 1091. Ranunculus nemoroſus Muſcatellina dictus. *C. B. Pin.* 178. *Tuberous Moſcatell. In the* Old-Park Wood *and many other Places near* Harefield *abundantly.* Martio & Aprili floret.

Ranunculus aquatilis.

RANUNCULUS AQUATILIS. *Ger. Em.* 829. aquaticus folio rotundo & capillaceo. *C. B. Pin.* 180. *Water Crow-foot with various Leaves.* In aquoſis paſſim. Aprili floret.

RANUNCULUS AQUATICUS ALBUS, CIRCINATIS TENUISSIME DIVISIS FOLIIS, FLORIBUS EX ALIS LONGIS PEDICULIS INNIXIS. *Plukenet. Phyt. Tab.* 55. *f.* 2. *In a Bog on* Uxbridge-Moor *plentifully.* Maio floret.

Ranunculus hederaceus.

RANUNCULUS HEDERACEUS AQUATICUS. *Park.* 1216. Ranunculi aquatilis varietas altera. *Ger. Em.* 830. *Ivy-leav'd Water Crowfoot.* In foſſis & aquis vadoſis haud infrequens. Maio floret.

RANUN-

Ranunculus arvensis.

Ranunculus Arvensis Echinatus. *C. B. Pin.* 179. arvorum. *Ger. Em.* 951. *Corn Crowfoot.* Inter ſegetes paſſim. Maio floret.

Ranunculus Flammeus Major. *Ger. Em.* 961. longifolius paluſtris major. *C. B. Pin.* 180. *Great Spear-wort. In the Bogs on* Iver-Heath. Maio floret.

Ranunculus Flammeus Minor. *Ger. Em.* 961. longifolius paluſtris minor. *The leſſer Spear-wort. In the Ditches on* Harefield-Common *plentifully.* Maio floret.

Ranunculus auricomus

Ranunculus Nemorosus vel Sylvaticus Folio Rotundo. *C. B. Pin.* 178. auricomus. *Ger. Em.* 954. *Sweet Wood-Crowfoot, or Goldilocks.* In pratis & paſcuis paſſim. Aprili floret.

Ranunclus Hirsutus Annuus Flore Minimo. *Raii Cat. Angl.* 250. hirſutus annuus, folio Geranii Columbini. *Merr. Pin.* 102. *Field Crowfoot with a very ſmall Flower. In ſeveral Places near* Harefield *plentifully.* Maio floret.

Ranun-

RANUNCULO AQUATILI ALBO AFFINE MILLEFOLIUM MARATRIPHYLLON FLUITANS. *Chabr.* 564 Millefolium aquaticum foliis Fœniculi, Ranunculi flore & capitulo. *C. B. Pin.* 141. *Fennel-leav'd Water-Crowfoot. In* Harefield-River *abundantly.* Maio floret.

RANUNCULUS PALUSTRIS ROTUNDIFOLIUS. *Ger. Em.* 962. paluſtris Apii folio lævis. *C. B. Pin.* 180. *Round-leav'd Water-Crowfoot.* In paluſtribus & aquoſis copioſè. Maio floret.

Ranunculus repens.

RANUNCULUS PRATENSIS REPENS. *Park.* 329. pratenſis repens hirſutus. *C. B. Pin.* 179. *Common creeping Crowfoot, or Butter-Cups.* In paſcuis præſertim humidioribus. Maio floret.

Ranunculus bulbosus

RANUNCULUS PRATENSIS RADICE VERTICILLI MODO ROTUNDA. *C. B. Pin.* 179. bulboſus. *Park.* 329. *Bulbous Crowfoot.* In paſcuis paſſim. Maio floret.

Ranunculus acris.

RANUNCULUS PRATENSIS ERECTUS ACRIS. *C. B. Pin.* 178. ſurrectis cauli-

culis.

culis. *Ger. Em.* 951. *Upright Meadow Crowfoot.* In pratis & paſcuis ſatis frequens. Maio floret.

Rapistrum Album Articulatum. *Park.* 863. flore albo, ſiliquâ articulatâ. *C. B. Pin.* 95. *White-flower'd Charlock with a jointed Cod.* Inter ſegetes paſſim. Junio floret.

Rapistrum Arvorum. *Ger. Em.* 233. flore luteo. *C. B. Pin.* 95. *Charlock, or wild Muſtard.* Segetum peſtis eſt, Aprili & Maio florens.

Rapunculus Scabiosæ Capitulo Cæruleo. *C. B. Pin.* 92. Scabioſa minima hirſuta. *Ger. Em.* 723. *Hairy Sheep's Scabious, or Rampions with Scabious Heads.* In ſterilioribus & arenoſis non tamen admodùm frequens. *In a Lane leading from* Denham *to* Iver-Heath. Junio floret.

Rhamnus catharticus.

Rhamnus Catharticus. *C. B. Pin.* 478. ſolutivus. *Ger. Em.* 1337. *Buckthorn, or Purging-thorn. In ſome Places near* Harefield *ſparingly; in the Hedges between* Uxbridge *and* Beaconsfield *plentifully.* Maio floret.

Ribes

Ribes nigrum.

RIBES FRUCTU NIGRO. *Ger. Em.* 1593. Groſſularia non ſpinoſa fructu nigro. *C. B. Pin.* 455. *Black Currants, or Squinancy-Berries. In a Meadow near the* Warren-Pond *at* Breakſpears *plentifully.* Maio floret.

Drosera rotundifolia.

ROS SOLIS FOLIO ROTUNDO. *C. B. Pin.* 357. *Ger. Em.* 1557. *Round-leav'd Sun-Dew, or Roſa-Solis. At* Battle's-Well *near* Harefield, *and on* Iver-Heath *plentifully.* Junio floret.

Rosa spinosissima.

ROSA PIMPINELLÆ FOLIO. *Ger. Em.* 1270. campeſtris ſpinoſiſſima flore albo odoro. *C. B. Pin.* 483. *The Burnet Roſe.* In arenoſis, *as in* Tuddington-Field *abundantly.* Junio floret.

ROSA CANINA INODORA. *Ger. Em.* 1270. ſylveſtris vulgaris flore odorato incarnato. *C. B. Pin.* 483. *The Dog's-Roſe, or Hep-Tree.* In ſepibus ubique. Maio floret.

ROSA SYLVESTRIS ODORA. *Ger. Em.* 1270. ſylveſtris foliis odoratis. *C. B. Pin.* 483. *The Sweet-Briar, or Eglantine.* Cum priore

priore ſparſim invenitur variis locis. Maio floret.

Sherardia arvensis

Rubeola Arvensis Repens Cærulea. *C. B. Pin.* 334. *Prodr.* 145. 5. minor pratenſis cærulea. *Park* 276. *Little Field-Madder.* Inter ſegetes & in arvis requietis frequentiſſimè reperitur. Maio & Junio floret.

Rubus caesius.

Rubus Repens Fructu Cæsio. *Ger. Em.* 1271. *C. B. Pin.* 479, *The Dewberry Buſh, or ſmall Bramble.* Inter ſegetes & in locis humidis frequens. Maio & Junio floret.

Rubus idaeus.

Rubus Idæus. *Ger. Em.* 1272. Idæus ſpinoſus. *C. B. Pin.* 479. *The Raſp-berry Buſh. In a Lane near Mr.* Auſtin's *Farm on* Harefield-Moor. Maio floret.

Ruscus aculeatus.

Ruscus. *C. B. Pin.* 470. Ruſcus ſive Bruſcus. *Ger. Em.* 907. *Knee-holme, or Butcher's-Broom. In the little Grove near* Breakſpears, *and ſome Woods near* Bacher-Heath *ſparingly.* Januario floret.

S.

SAGITTA AQUATICA MAJOR. *C. B. Pin.* 194. Sagittaria major. *Ger. Em.* 416. *Great Arrow-head.* In aquoſis paſſim. Maio & Junio floret.

SAGITTA AQUATICA MINOR ANGUSTIFOLIA. *C. B. Pin.* 194. Sagittaria minor. *Ger. Em.* 416. *Small Arrow-head.* Cum priore.

SALIX PUMILA LINIFOLIA INCANA. *C. B. Pin.* 474. Chamæitea ſive Salix pumila. *Ger. Em.* 1391. *Common creeping Dwarf Willow. On* Harefield-Common *plentifully.* Vere Julos profert.

SALIX FOLIO LAUREO, SEU LATO GLABRO ODORATO. *Merr. Pin.* 108. *Raii Syn. Ed.* III. 449. 12. *Bay-leav'd ſweet Willow. Amongſt the Willows near Mr.* Aſhby'*s Brick-kiln at* Harefield.

Teucrium scorodonia.

SALVIA AGRESTIS SIVE SCORODONIA. *Ger. Em.* 662. Scordium alterum ſive Salvia agreſtis. *C. B. Pin.* 247. *Wood-Sage.* In ſylvis & ad ſepes paſſim. Junio floret.

Sambucus. *Ger. Em.* 1422. fructu in umbellâ nigro. *C. B. Pin.* 456. *The Common Elder.* In ſepibus frequens. Maio floret. Invenitur fructu albo ſed rariùs.

Sambucus Aquatilis sive Palustris. *Ger. Em.* 1424. aquatica flore ſimplici. C. *B. Pin.* 456. *Marſh, or Water Elder.* In paluſtribus paſſim. Maio & Junio floret.

Sanicula europaea.

Sanicula sive Diapensia. *Ger. Em.* 948. Sanicula Officinarum. *C. B. Pin.* 319. *Sanicle.* In ſylvis paſſim. Aprili & Maio floret.

Saponaria officinalis

Saponaria. *Ger. Em.* 444. major lævis. *C. B. Pin.* 206. *Soap-wort, or Bruiſe-wort. In a Hedge near* Uxbridge Church-Yard *plentifully.* Julio & Auguſto floret.

Saxifraga granulata.

Saxifraga Alba. *Ger. Em.* 841. rotundifolia alba. *C. B. Pin.* 309. *White Saxifrage. In a moiſt Meadow near* Moor-Hall, *alſo about* Rickmanſworth *plentifully.* Maio floret.

Saxi-

Saxifraga Anglica Facie Seseli Pratensis. *Ger. Em.* 1047. Seſeli pratenſis noſtras. *Park.* 905. *Meadow Saxifrage.* In paſcuis paſſim. Julio floret.

Saxifraga Anglica Alsinefolia. *Ger. Em.* 567. puſilla graminea, flore parvo herbido & muſcoſo. *Merr. Pin.* 109. *Pearl-wort, or Chickweed Breakſtone.* In uliginoſis & umbroſis hortorum ambulacris frequens. Æſtate floret.

Scabiosa Pratensis Hirsuta, quæ Officinarum. *C. B. Pin.* 269. major vulgaris. *Ger. Em.* 719. *Common Field Scabious.* In paſcuis & inter ſegetes. Junio floret.

Scabiosa Radice Succisa, Flore Globoso. *Raii Syn. Ed.* III. 191. Morſus Diaboli. *Ger. Em.* 726. *Devil's-Bit.* In pratis & paſcuis haud infrequens. Autumno floret.

Scirpus Montanus Capitulo Breviori. *Inſt. R. H.* 528. *J. Scheuchz. Agroſt.* 363. *T.* 7. *f.* 18. Juncus parvus paluſtris, cum parvis capitulis Equiſeti. *Raii Syn. Ed.* II. 274. 15. *Dwarf Marſh*

Ruſh with ſmall Aglet Heads. On Hare-field-Moor *plentifully.*

Scrophularia aquatica

Scrophularia Aquatica Major. *C. B. Pin.* 235. Betonica aquatica. *Ger. Em.* 715. *Water Figwort.* In paluſtribus & ad rivos paſſim. Julio & Auguſto floret.

Scrophularia nodosa

Scrophularia Major. *Ger. Em.* 716. nodoſa fœtida. *C. B. Pin.* 235. *Common knobby-rooted Figwort.* In ſylvis & ſepibus. Julio floret.

Sedum Minus Hæmatoides. *Ger. Em.* 512. minus luteum folio acuto. *C. B. Pin.* 283. *The moſt ordinary yellow Prickmadam, or Stone-crop.* In muris & tectis. Æſtate floret.

Sedum seu Sempervivum Minus Vermiculatum Acre. *C. B. Pin.* 283. Vermicularis, ſive Illecebra minor acris. *Ger. Em.* 517. *Wall-Pepper, or Stone-crop.* Cum priore, nec minùs frequens. Junio & Julio floret.

Thymus serpyllum.

Serpyllum Vulgare. *Ger. Em.* 570. vulgare minus. *C. B. Pin.* 220.

Mother

Mother of Thyme. In paſcuis ſiccioribus & montoſis paſſim. Junio floret.

Thymus serpyllum.

Serpyllum Vulgare Hirsutum. *Raii Syn. Ed.* III. 231. 6. *Hoary wild Thyme. On* Oliver's-Mount *in* Uxbridge Moor *plentifully.* Maio & Junio floret.

Serratula. *C. B. Pin.* 235. purpurea. *Ger. Em.* 713. *Saw-wort.* In ſylvis frequens. Auguſto floret. Variat flore albo.

Sideritis Anglica Strumosa Radice. *Park.* 587. Panax Coloni. *Ger. Em.* 1005. *Clown's All-heal.* In aquoſis copioſè. Julio floret.

Sideritis Humilis Lato Obtuso Folio. *Ger. Em.* 699. Sideritis Alſines Triſſaginis folio. *Park.* 586. *Small Iron-wort.* Inter ſegetes. Julio floret.

Sideritis Arvensis Rubra. *Park.* 587. arvenſis anguſtifolia rubra. *C. B. Pin.* 233. *Narrow-leav'd All-heal, or Iron-wort.* Inter ſegetes paſſim & copioſè. Julio & Auguſto floret.

Sium Arvense sive Segetum. *Inſt. R. H.* 308. Selinum Sii foliis. *Ger.*

Em. 1018. *Hone-wort, or Corn Parſley. By the Road's Side near* Eaton *ſparingly.* Julio floret.

Sium Aromaticum Sison. *Inſt. R. H.* 308. Petroſelinum Macedonicum Fuchſii. *Ger. Em.* 1016. *Baſtard Stone Parſley.* Ad ſepes & in aggeribus foſſarum frequens. Julio floret.

Sium Majus Angustifolium. *Ger. Em.* 256. Sium erectis foliis ſerratis D. Doody. *Raii Syn. Ed.* III. 211. *Common upright Water-Parſnep.* Ad fluviorum ripas frequens. Julio floret.

Sium Umbellatum Repens. *Ger. Em.* 256. umbellis ad caulium nodos. *Merr. Pin.* 114. *Creeping Water-Parſnep.* In rivulis & aquoſis paſſim. Æſtate floret.

Sium Minimum Umbellatum Foliis Variis. *Plukenet. Phyt. T.* 61. minimum. *Raii Hiſt.* 444. *The leaſt Water-Parſnep. In the Bogs on* Harefield-Common *plentifully.* Maio floret.

Solanum nigrum

Solanum Hortense. *Ger. Em.* 339. bacciferum primum ſeu Officinarum. *C. B.*

B. Pin. 166. *Common Nightſhade.* In fimetis & locis ruderatis. Auguſto floret.

Solanum Dulcamara.

Solanum Lignosum sive Dulcamara. *Park.* 350. ſcandens ſeu Dulcamara. *C. B. Pin.* 167. *Woody Nightſhade, or Bitter-ſweet.* In aquoſis frequentiſſimè occurrit. Junio floret. Variat flore albo.

Atropa belladonna.

Solanum Lethale. *Ger. Em.* 340. melanoceraſos. *C. B. Pin.* 166. *Deadly Nightſhade, or Dwale. In a ſhady Gravel Pit near the* Old Park, *and in the Gardens at* Moor-Park *plentifully.* Maio floret.

Sonchus Lævis Muralis. *Ger. Em.* 293. lævis laciniatus muralis parvis floribus. *C. B. Pin.* 124. *Ivy-leav'd Sow-thiſtle, or wild Lettuce. In the Lane going from* Harefield *to* Riſlip *abundantly.* Julio floret.

Sonchus Arborescens. *Ger. Em.* 294. Hieracium majus folio Sonchi, vel Hieracium Sonchites. *C. B. Pin.* 126. *Tree Sow-thiſtle.* Inter ſegetes frequens. Julio floret.

Sorbus

Sorbus Alpina. *Chabr.* 2. Aria Theophraſti. *Ger. Em.* 1327. *The White Beam-Tree. On* Uxbridge-Common *and in* Harefield Chalk-Pit. Maio floret.

Sorbus Torminalis. *Ger. Em.* 1471. Meſpilus Apii folio ſylveſtris non ſpinoſa, ſeu Sorbus torminalis. *C. B. Pin.* 454. *The common wild Service-Tree, or Sorb.* In ſylvis & ſepibus. Martio floret.

Sparganium Ramosum. *Ger. Em.* 45. *C. B. Pin.* 15. *Branch'd Bur-reed.* In aquoſis ubique. Julio floret.

Sparganium non Ramosum. *C. B. Pin.* 15. latifolium. *Ger. Em.* 45. *Bur-reed not branch'd.* Cum priore.

Campanula hybrida

Speculum Veneris Minus. *Ger. Em.* 439. *Park.* 1331. *The leſſer Venus Looking-glaſs, or codded Corn-Violet.* Inter ſegetes ſed rariùs. *I found it this Year* (1735) *in a Corn Field adjoining to* Harefield Chalk-Pit *plentifully, but not elſewhere.* Junio floret.

Sphon-

Heracleum spondylium.

SPHONDYLIUM VULGARE. *Ger. Em.* 1009. hirſutum. *C. B. Pin.* 157. *Cow-Parſnep.* In pratis & paſcuis paſſim. Junio & Julio floret.

Heracleum spondylium β.

SPHONDYLIUM MONTANUM MINUS ANGUSTIFOLIUM, TENUITER LACINIATUM. *Pluk. Phyt. Tab.* 63. Sphondylium hirſutum foliis anguſtioribus. *C. B. Pin.* 157. *Prodr.* 83. *Jagged Cow-Parſnep. In ſeveral Places near* Harefield. Æſtate floret.

STELLARIA AQUATICA. *Park.* 1258. *C. B. Pin.* 141. *Water-Star-wort.* In foſſis & aquoſis ubique. Vere floret.

T.

Tanacetum vulgare

TANACETUM. *Ger. Em.* 650. vulgare luteum. *C. B. Pin.* 132. *Common Tanſy. In a Meadow near* Harefield Church. Julio & Auguſto floret.

Sedum telephium.

TELEPHIUM VULGARE, *C. B. Pin.* 287. Craſſula ſive Faba inverſa. *Ger. Em.* 518. *Orpine, or Live-long.* In umbro-

ſis

ſis & nonnunquam inter ſegetes. Julio & Auguſto floret.

Thalictrum flavum.

Thalictrum sive Thalietrum Majus. *Ger. Em.* 1251. majus ſiliquâ anguloſâ aut ſtriatâ. *C. B. Pin.* 336. *Meadow-Rue.* In paluſtribus & pratis humidis frequens. Junio floret.

Thlaspi Vulgatissimum. *Ger. Em.* 262. arvenſe, Vaccariæ folio incano majus. *C. B. Pin.* 106. *Mithridate Muſtard.* Inter ſegetes non rarò invenitur. Junio & Julio floret.

Euphorbia amygdaloides.

Tithymalus Characias Amygdaloides. *Ger. Em.* 500. *C. B. Pin.* 290. *Wood-Spurge.* In ſylvis paſſim & copioſè. Aprili floret.

Euphorbia platyphyllos.

Tithymalus Platyphyllos Fuchsii. *Chabr.* 533. arvenſis latifolius Germanicus. *C. B. Pin.* 291. *Broad-leav'd Spurge. In the Corn Fields leading from* Harefield-Common *to* Battle's-Well *plentifully.* Junio floret.

Euphorbia exigua.

Tithymalus seu Esula Exigua. *C. B. Pin.* 291. Eſula exigua Tragi. *Ger. Em.*

Em. 503. *Dwarf Spurge, or ſmall annual Spurge.* Inter ſegetes plurimis in locis circa *Harefield* reperitur. Julio floret.

Euphorbia helioscopia.

TITHYMALUS HELIOSCOPIUS. *Ger. Em.* 498. *C. B. Pin.* 291. *Sun-Spurge, or Wart-wort.* In hortis & inter ſata copioſè. Julio floret.

Euphorbia peplus.

TITHYMALUS PARVUS ANNUUS, FOLIIS SUBROTUNDIS NON CRENATIS, PEPLUS DICTUS. *Raii Syn. Ed.* III. 313. 9. Peplus ſive Eſula rotunda. *C. B. Pin.* 292. *Petty-Spurge.* Cum priore.

Tormentilla erecta.

TORMENTILLA. *Ger Em.* 992. ſylveſtris. *C. B. Pin.* 326. *Tormentil, or Septfoil.* In ſylvis paſſim. Maio & Junio floret.

Campanula trachelium

TRACHELIUM MAJUS. *Ger. Em.* 448. Campanula vulgatior foliis Urticæ, vel major & aſperior. *C. B. Pin.* 94. *Great Throat-wort, or Canterbury Bells.* In ſylvis, *as in the* Old-Park-Wood *near* Harefield *abundantly.* Julio & Auguſtò floret.

Campanula glomerata.

TRACHELIUM MINUS. *Ger. Em.* 449. Campanula pratenſis flore conglomerato. *C.*

C. B. Pin. 94. *Little Throat-wort, or Canterbury Bells.* In montoſis cretaceis ſed rariùs. *In the* Chalk-Pit *near the Duke of* Portland's *at* Gerard's-Croſs. Julio floret.

TRAGOPOGON LUTEUM. *Ger. Em.* 735. pratenſe luteum majus. *C. B. Pin.* 274. *Yellow Goat's-beard.* In pratis & paſcuis ſatis frequens. Junio floret.

TRIBULUS AQUATICUS MINOR MUSCATELLÆ FLORIBUS. *Ger. Em.* 823. Potamogiton foliis criſpis ſeu Lactuca ranarum. *C. B. Pin* 193. *The leſſer Water-Caltrops, or Frog's-Lettuce.* In fluviis paſſim. Junio floret.

TRIBULUS AQUATICUS MINOR QUERCÛS FLORIBUS. *Ger. Em.* 824. aquaticus minor prior. *Park.* 1248. *The greater Water Caltrops.* In aquis ſtagnantibus & fluviis pigrioribus frequens. Æſtate floret.

TRICHOMANES MAS. *Ger. Em.* 1146. Trichomanes ſive Polytrichum Officinarum. *C. B. Pin.* 356. *Engliſh Black Maiden hair.*

hair. In the Orchard at Harefield-Place *plentifully, alſo about* Breakſpears.

Oxalis acetoſella.

TRIFOLIUM ACETOSUM VULGARE. *C. B. Pin.* 330. Oxys alba. *Ger. Emac.* 1201. *Wood-ſorrel.* In ſylvis paſſim. Martio & Aprili floret.

TRIFOLIUM COCHLEATUM FOLIO CORDATO MACULATO, *C. B. Pin* 329. cordatum. *Ger. Em.* 1190. *Heart Trefoil, or Claver.* In paſcuis ſiccioribus & arenoſis. *On* Uxbridge-Common *plentifully, and in other Places.* Junio floret.

Trifolium fragiferum.

TRIFOLIUM FRAGIFERUM. *Ger. Em.* 1208. fragiferum Friſicum. *Park.* 1109. *Strawberry Trefoil.* In paſcuis ſolo præſertim humido aut lutoſo. Julio floret.

Trifolium lupulinum.

TRIFOLIUM LUTEUM LUPINUM. *Ger. Em.* 1186. pratenſe luteum capitulo Lupuli vel agrarium. *C. B. Pin.* 328. *Hop Trefoil.* Inter ſegetes frequens. Junio floret.

TRIFOLIUM LUTEUM MINIMUM. *Ger. Em.* 1186. pratenſe luteum capitulo

breviore. *C. B. Pin.* 328. *Melilot Trefoil.* In ſterilioribus ubique frequens. Maio & Junio floret.

Trifolium arvense

TRIFOLIUM ARVENSE HUMILE SPICATUM SEU LAGOPUS. *C. B. Pin.* 328. Lagopus vulgaris. *Park.* 1107. *Hare's-foot, or Hare's-foot Trefoil.* Inter ſegetes. Autumno floret.

TRIFOLIUM LUPULINUM MINIMUM. *Inſt. R. H.* 404. *The leaſt Hop Trefoil. On* Harefield-Common *plentifully.* Maio & Junio floret.

TRIFOLIUM PRATENSE ALBUM. *C. B. Pin.* 327. minus pratenſe flore albo ſive ſecundum. *Ger. Em.* 1185. *White-flower'd Meadow Trefoil.* In paſcuis ubique. Maio floret.

TRIFOLIUM PRATENSE. *Ger. Em.* 1185. purpureum. *C. B. Pin.* 327. *Purple Meadow Trefoil.* In pratis & paſcuis paſſim. Maio & Junio floret.

TRIFOLIUM PUMILUM SUPINUM FLOSCULIS LONGIS ALBIS. *P. B. Raii Syn. Ed.* III. 327. 2. *Dwarf Trefoil with long white Flowers. On* Harefield *and*

Uxbridge

Uxbridge-Commons *plentifully*. Maio floret.

Trifolium Parvum Hirsutum, Floribus Parvis Dilute Purpureis, in Glomerulis Mollioribus et Oblongis, Semine Magno. *Raii Syn. Ed.* III. 329. 9. *Knotted Trefoil with ſofter Heads and large Seed. On* Oliver's Mount *on* Uxbridge-Moor *plentifully*. Junio floret.

Trifolium Siliquosum Minus *Ger. Em.* 1190. Lotus ſeu Melilotus Pentaphyllos minor glabra. *C. B. Pin.* 332. *Bird's-foot Trefoil.* In paſcuis paſſim. Maio & Junio floret.

Trifolii Siliquosi Varietas Major. *Ger. Em.* 1190. Lotus pentaphyllos flore majore luteo ſplendente. *C. B. Pin.* 332. *The greater Bird's-foot Trefoil.* In paſcuis & ad ſepes locis humidis haud infrequens. Seriùs quam præcedens floret.

Menyanthes trifoliata.

Trifolium Palustre. *C. B. Pin.* 327. paludoſum. *Ger. Em.* 1194. *Marſh*

 Trefoil,

Trefoil, or Bog-beans. On Harefield-Moor *in ſeveral Places.* Maio floret.

Tuſſilago farfara.

Tussilago. *Ger. Em.* 811. vulgaris. *C. B. Pin.* 197. *Colt's-foot.* In locis humidis frequentiſſimè. Martio floret.

Typha Palustris Major. *C. B. Pin.* 20. maxima. *Park.* 1204. *Cat's-Tail, or Reed-Mace.* In aquis ſtagnantibus & piſcinis majoribus frequens. Auguſto floret.

V.

Vaccinia Nigra. *Ger. Em.* 1415. Vitis Idæa foliis oblongis crenatis fructu nigricante. *C. B. Pin.* 470. *Black Whorts, or Whortle-berries. On* Iver-Heath. Aprili floret.

Valeriana Sylvestris Major. *Ger. Em.* 1075. *C. B. Pin.* 164. *Great wild, or Marſh Valerian.* In pratis humidis copioſè. Maio floret.

Vale-

VALERIANA MINOR. *Ger. Em.* 1075. paluſtris minor. *C. B. Pin.* 164. *Small wild, or Marſh Valerian.* Cum priore.

VALERIANA SYLVESTRIS VEL PALUSTRIS MINOR ALTERA. *Raii Cat. Angl.* 299. *The other ſmall wild, or Marſh Valerian. In all the moiſt Meadows near* Harefield *abundantly.* Eodem tempore floret.

Verbascum thapsus.

VERBASCUM MAS LATIFOLIUM LUTEUM. *C. B. Pin.* 239. vulgare ſive Tapſus barbatus communis. *Park.* 60. *White Mullein, or High-taper, Cow's Lungwort.* Ad agrorum margines & in locis ruderatis. Julio floret.

Verbascum nigrum

VERBASCUM NIGRUM. *Ger. Em.* 775. nigrum flore parvo apicibus purpureis. *Chabr.* 494. *Common Black Mullein, or Sage-leav'd Mullein.* Ad margines agrorum ſed non ita frequens. Junio & Julio floret.

Verbena officinalis.

VERBENA COMMUNIS. *Ger. Em.* 718. communis flore cæruleo. *C. B. Pin.* 269. *Vervain.* In ſterilioribus & locis incultis paſſim. Julio & Auguſto floret.

Veronica Floribus Singularibus, in Oblongis Pediculis, Chamædryfolia. *Raii Syn. Ed.* III. 279. 4. Alſine foliis Triſſaginis. *Ger. Em.* 616. *Germander-Speedwell, or Chickweed.* In hortis lociſque cultis per totam æſtatem floret.

Veronica Chamædryoides, Foliis Pediculis Oblongis Insidentibus. *Raii Syn. Ed.* II. 179. 12. Chamædryi ſpuriæ affinis rotundifolia ſcutellata. *C. B. Pin.* 249. *Wild Germander with Leaves ſtanding on long Foot-ſtalks. In the* Grove-Wood *near* Breakſpears. Maio floret.

Veronica Flosculis Singularibus, Cauliculis Adhærentibus. *Raii Syn. Ed.* III. 279. 5. Alſine foliis Veronicæ. *Ger. Em.* 613. *Speedwell Chickweed.* In muris & locis ſiccioribus. Vere & æſtate floret.

Veronica Becca Bunga

Veronica Aquatica Rotundifolia, Beccabunga Dicta, Minor. *Raii Syn. Ed.* III. 280. 8. Anagallis aquatica minor, folio ſubrotundo. *C. B. Pin.* 252.

252. *Common Brooklime.* In aquoſis paſſim. Maio & Junio floret.

Veronica Aquatica Longifolia Media. *Raii, Ibid.* Anagallis aquatica minor, folio oblongo. *C. B. Pin.* 252. *The middle long-leav'd Water Speedwell, or Brooklime.* Cum priore.

Veronica Aquatica Angustifolia Minor. *Raii Syn. Ed.* III. 280. 10. Anagallis aquatica anguſtifolia ſcutellata. *C. B. Pin.* 252. *Prodr.* 119. *Narrow-leav'd Water Speedwell, or Brooklime. In the Bogs on* Harefield-Common. Maio floret.

Veronica Chamædrys Sylvestris Dicta. *Raii, Ibid.* Chamædrys ſpuria minor rotundifolia. *C. B. Pin.* 249. *Wild Germander.* In paſcuis paſſim. Vere floret.

Veronica Mas Supina et Vulgatissima. *C. B. Pin.* 246. vera & major. *Ger. Em.* 626. *Male Speedwell, or Fluellin.* In Ericetis frequens. *On* Riſlip-Common *abundantly.* Maio floret.

Vero-

Veronica serpyllifolia.

Veronica Pratensis Serpyllifolia. *C. B. Pin.* 247. minor. *Ger. Em.* 627. *Little Fluellin, or Paul's-Betony.* In pratis & paſcuis copioſè. Maio floret.

Viburnum. *C. B. Pin.* 429. Lantana ſive Viburnum. *Ger. Em.* 1490. *The pliant Mealy-Tree, the Way-faring Tree.* In ſepibus ſolo præſertim cretaceo frequens. Maio floret.

Vicia Maxima Dumetorum. *Ger. Em.* 1227. *C. B. Pin.* 345. *Buſh-Vetch.* In ſepibus & dumetis paſſim. Maio floret.

Vicia Sylvestris sive Cracca Major. *Ger. Em.* 1227. Vicia ſemine rotundo nigro. *C. B. Pin.* 345. *Strangle Tare, or wild Vetch.* Inter ſegetes & ad ſepes. Maio floret.

Vicia Segetum cum Siliquis Plurimis Hirsutis. *C. B. Pin.* 345. ſylveſtris ſive Cracca minima. *Ger. Em.* 1228. *Small wild Tare, or Tine-Tare.* Inter ſegetes nimis frequens. Junio floret.

Vicia

Vicia Segetum Siliquis Singularibus Glabris. *C. B. Pin.* 345. *Tine-Tare with ſmooth Pods.* Inter ſegetes frequens. Junio floret.

Vicia Multiflora. *C. B. Pin.* 345. multiflora ſive ſpicata. *Park.* 1072. *Tufted Vetches.* Ad ſepes frequens. Junio & Julio floret.

Viola Barbata Angustifolia Dalechampii. *J. B. Raii Syn. Ed.* III. 337. 4. Caryophyllus ſylveſtris barbatus. *C. B. Pin.* 209. *Deptford Pink. I found it this Year* (1737) *by the Road's Side leading from* Harefield *to* Chalfont St. Peter's, *but very ſparingly.* Julio floret.

Viola Martia Alba. *C. B. Pin.* 199. flore albo *Ger. Em.* 850. *White ſweet-ſcented Violet.* Ad ſepes frequens. Martio floret.

Viola Martia Purpurea. *Ger. Em.* 850. Martia purpurea flore ſimplici odoro. *C. B. Pin.* 199. *Purple March Violet.* Ad ſepes paſſim. Primo vere floret.

Viola

VIOLA CANINA SYLVESTRIS. *Ger. Em.* 851. Martia inodora ſylveſtris. *C. B. Pin.* 199. *Wild or Dog's-Violet.* In dumetis & ad ſepes ubique. Martio & Aprili floret.

VIOLA BICOLOR ARVENSIS. *C. B. Pin.* 200. tricolor ſylveſtris. *Ger. Em.* 854. *Small wild Panſies, or Heart's-Eaſe.* Segetum peſtis eſt. Maio floret.

VIOLA CANINA MINOR D. DUBOIS. *Raii Syn. Ed.* III. 364. 5. *Small wild or Dog's-Violet. On* Harefield *and* Uxbridge Commons *plentifully.* Aprili & Maio floret.

VIOLA MARTIA HIRSUTA MAJOR INODORA D. PLOT. *Raii Syn. Ed.* III. 365. 8. foliis Trachelii ſerotinâ radice lignoſâ. *Merr. Pin.* 125. *Violet with Throat-wort Leaves. By the Sides of the* Old-Park-Wood, *and in* Harefield Chalk-Pit. Aprili floret.

VIOLA TRICOLOR. *Ger. Em.* 854. tricolor hortenſis repens. *C. B. Pin.* 199. *Panſies, or Heart's-Eaſe. In a Meadow near* Hampton-Court-Park. Junio floret.

Clematis vitalba

Viorna. *Ger. Em.* 886. Clematitis ſylveſtris latifolia. *C. B. Pin.* 300. *Wild Climber, or Traveller's-Joy.* In ſepibus paſſim. Junio & Julio floret.

Solidago virgaurea

Virga Aurea. *Ger. Em.* 430. aurea vulgaris. *Park.* 542. *Golden Rod.* In ſylvis & locis montoſis frequens. Julio & Auguſto floret.

Viscum. *Ger. Em.* 1350. baccis albis. *C. B. Pin.* 423. *Miſletoe.* Pleriſque arboribus innaſcitur. Quercinum reliquis in medicinâ præfertur, ſed rariſſimè reperitur.

Spiraea ulmaria

Ulmaria Vulgaris. *Park.* 592. Barba capræ floribus compactis. *C. B. Pin.* 164. *Meadow-ſweet.* In paſcuis humidioribus & ad rivos paſſim. Junio & Julio floret.

Ulmus Vulgatissima Folio Lato Scabro. *Ger. Em.* 1480. vulgaris. *Park.* 1404. *The Common Elm.* In ſepibus paſſim. Primo vere floret.

Ulmus Folio Latissimo Scabro. *Ger. Em.* 1481. latiore folio. *Park.* 1404. *The Wych-Haſel, or broad-leav'd Elm.* In ſepibus, ſed non ita frequens. Aprili floret.

Urtica dioica.

Urtica Racemifera Major Perennis. *Raii Syn. Ed.* III. 139. urens. *Ger. Em.* 706. *Common Stinging-Nettle.* Omnium ferè locorum peſtis eſt. Julio floret.

Urtica urens.

Urtica Racemifera Minor Annua. *Raii Syn. Ed.* III. 140. urens minor. *C. B. Pin.* 232. *The leſſer Stinging-Nettle.* Ad ſemitas & in locis ruderatis. Æſtate floret.

Fasciculi *Finis.*

APPENDIX,

CONTAINING

Some Short Notes

Relating to

HAREFIELD.

THE Pariſh of *Harefield* (uſually called *Harvill*, anciently *Heresfield*) lies in the Hundred of *Elthorn*, in the County of *Middleſex*, about ſeven Miles to the Northward, and ſixteen Miles to the Weſtward of *London*.

It is ſituated on that Part of the River *Colne*, below the Place where the Wa-

ters of *Cheſham*, *Hempſted* and *St. Albans* are joined, and this River parts it Weſtward from *Denham* Pariſh in *Buckinghamſhire* : To the Northward it is bounded by *Rickmanſworth* Pariſh in *Hertfordſhire*, and on the South, it adjoins to *Riſlip* and *Ickenham* Pariſhes in *Middleſex*.

The Soil, within this Compaſs, is various ; that of the South and Eaſt Parts being a ſtrong Clay, very productive of Elm and Oak, which thrive well here. The North and Weſt Parts, bordering on *Hertfordſhire* and *Bucks*, is generally a dry Chalk and ſtony Land.

THIS Pariſh is in Circumference about ſixteen Miles, and is, in great meaſure, ſurrounded with Woods, almoſt of all Sorts, and is perfectly well water'd ; for, beſides the River *Colne*, which runs at a ſmall Diſtance from the Village, Springs are ſcarce any where more frequent.

THIS Place is particularly remarkable on the account of an extraordinary fine Spring call'd *Gulch-Well*, that ariſes at the Foot of a Chalk-hill, and produces, at

at its firſt Appearance, with a very ſtrong Current, a Body of Water, two Feet deep and four Feet broad.

SEVERAL Attempts have been formerly made, towards bringing the delicate Water of this Spring, to ſupply the Cities of *London* and *Weſtminſter*: But, as nothing of that kind has hitherto been effected, its Water only ſerves to furniſh the River *Colne*, already almoſt overcharg'd with Springs.

HAREFIELD is an ancient Village, being the Poſſeſſion of *Richard*, Son of Count *Giſelbert*, in *William* the Conqueror's Time, as *Camden* informs us; but, at preſent, in the Poſſeſſion of Sir *Roger Newdigate*, Bart. one of whoſe Anceſtors firſt obtain'd it, by marrying *Cecil*, Daughter of Sir *Robert Grene*, in the twelfth Year of King *Edward* the Fourth's Reign; as appears by an ancient Record now in the Tower of *London*.

THE Church here is built after the ancient *Gothick* Manner, and dedicated to St. *Peter*. It is well beautified within, and ſeveral curious Monuments are here erected

erected, to the Memory of the Anceſtors of the above-mention'd Family, as alſo the *Aſhby's*, who are, and have, for a long Courſe of Years, been Inhabitants of this Place.

Here alſo *Alice*, Counteſs of *Derby*, erected ſix Alms-houſes for ſix poor Widows of this Pariſh, and allowed the Incumbent Five Pounds *per Annum*, to read Prayers twice a Week to them.

As to Houſes of Note, there are only Four, *viz.* *Moor-Hall*, which (with its Appurtenances) is a Manor diſtinct from *Harefield*. *Breakſpears*, the Seat of the ancient Family of *Aſhby*. *Harefield Place*, the Seat of the *Newdigates*, Lords of this Manor; and *Riſe*, the Seat of Sir *George Cooke*, Knt. The three firſt are ancient, the laſt of modern Date, but greatly improved by the preſent Poſſeſſor.

The Inhabitants of this Place are chiefly employed in Huſbandry; and as to Manufactures, the Making of Paper (chiefly that Sort for printing News-Papers, and ſuch like) the Making of Earthen Veſſels, and Hay-makers Rakes, take

up

up many Hands to conſiderable Advantage.

The great Variety of the Soils here, produces almoſt all Sorts of Vegetables, which our Catalogue of ſuch Plants as grow ſpontaneouſly in this Neighbourhood, ſufficiently ſhews.

Fossils and form'd Stones, of various Sorts, are frequently found in theſe Parts, as a Sort of * *Pyrites*, which Dr. *Plot* calls *Crow-Iron* ; being on the Outſide of a dark Colour, reſembling ruſty Iron, but within of a reſplendent golden Colour, which it ſoon loſes by being expoſed to the Air, or laid in a damp Place. A few Grains of this *Marcaſite* put into Water, where a ſmall Quantity of Galls had been ſteep'd, inſtantly chang'd it black as Ink, and gave it a remarkable Styptick Chalybeate Taſte.

Here are likewiſe to be met with Shells of ſeveral Sorts, embodied in Chalk, and chiefly thoſe of the Bivalve Kind; as alſo the *Lapides Echinites*, and ſome-

* Plot's *Nat. Hiſt. of* Oxfordſhire, *p.* 71.

times

times the Species that *Mercatus* calls ‖ *Meſpilus* or *Pentexoche*, as alſo the † *Lapis Multangulus* of the ſame Author, which was not long ſince found by ſome Labourers in the *Old-Chalk-Pit* near *Harefield-Mill*. This laſt conſiſted of twelve or fourteen irregular Angles, moſt of which were impreſſed with a Figure reſembling the Spot of a Die. It was of a ruſty iron Colour, on the Outſide, and anſwer'd the Figure and Deſcription of the aforeſaid Author in moſt Particulars. Here are alſo found ſome Species of the *Cornu Ammonis*, but very rarely.

Among the Animals, there are none in this Place that are not common, unleſs a Breed of Cows and Oxen without Horns. Theſe, tho' of late Date, are ſufficiently plentiful, and are diſtinguiſhed by the Name of the *Polled Breed* by the Inhabitants.

‖ Mercat. Metallotheca, *p.* 282. † Ibid. *p.* 374.

Eg. i/91
L

Fl 42
B56
f

HARVARD UNIVERSITY
ARNOLD ARBORETUM
PRESENTED BY CHARLES SPRAGUE SARGENT
1892